
## Edge Hill University



## Standalone Test Revision Support

# **GCSE Maths Equivalency Exam**



For tests from September 2019 onwards Version 1.0 1 September 2019

### **Contents**

Introduction	4
Why choose Edge Hill Equivalency Programmes?	5
Exam Specification Assessment Format	7 8
Scheme of assessment Aims Assessment objectives	8 8 9
Subject Content Skills Descriptors Mathematical Formulae	10 10 12
General Administration	13
Your Exam  Revision Guidance  Exam Preparation  On the Day of Your Exam  Examination Rules  Edge Hill Campus Map  Holy Cross College	15 15 16 17 19 21 23
Syllabus: Revision Checklist Answers to Sample Questions	24 30
Sample Questions / Practice Papers Sample Questions with Answers Practice Papers with Answers	31 73

### Introduction

### **Edge Hill University**

Thank you for choosing Edge Hill University for your equivalency test. As a leading university, we are dedicated to creating opportunity from knowledge – a philosophy that drives our teaching, our academic research, and our commitment to providing students with a great experience leading to a rewarding career.

The University provides a package of targeted support to applicants and students, aimed at ensuring that individuals with the capacity to benefit from higher education can come to university, stay at university and take advantage of opportunities while they study.

We are continually recognised for our outstanding achievements in <u>student support</u>, graduate employment and innovation, as well as our significant role in transforming lives. Joining us means studying on <u>one of the best campuses in UK higher education</u>, as part of a unique and welcoming academic community.

### **Equivalency Exams**

This information pack is designed to support your revision in preparation for the exam. It is not designed to emulate the exams in any way.

The Edge Hill equivalency tests offer you the opportunity to demonstrate that you satisfy our entry requirements for GCSE English, GCSE Mathematics and GCSE Science at Grade C or Grade 4 or above for most of our programmes, excluding Medicine.

Standalone tests allow you to revise at home, before booking to sit your exam on selected dates throughout the year at either Edge Hill University or Holy Cross College in Bury.

Once you have booked and paid for the test, you can revise at your own pace. However, we do ask that you make at least one attempt at the chosen exam within one year of payment. Refunds can be requested either within 1 year of payment, or prior to attempting the exam (whichever of these is the earliest). This applies to standalone exams only.

Please be aware that Edge Hill University Equivalency Exams are designed to meet the GCSE requirements for Edge Hill University only. Other institutions or governing bodies may accept them, however, it is important that you check with your chosen training provider that this equivalent exam will be accepted. If any issues arise please pass your details and the provider's details to <a href="mailto:edgehill.ac.uk">edgehill.ac.uk</a> and we can provide copies of our exam specification.

This specification is for the GCSE Maths Equivalency Test.

# Why choose Edge Hill University Equivalency Programmes?

### **Value for Money**

- Past papers are posted to you free of charge.
- We provide high quality, professionally written, GCSE equivalency exams which are well supported and professionally administered.
- Exams are professionally assessed, and results are returned promptly, generally within two - four weeks.
- We offer tutor-led revision courses to support candidates.
- We also offer standalone tests on a range of exam dates advertised in advance, both on campus at Edge Hill University, or at Holy Cross College in Bury, Greater Manchester.
- Candidates have two further opportunities to re-sit their exam if they are unsuccessful in the first instance.
- Our charges cover our costs and are lower than most other providers.

### Our expertise

- The Edge Hill Equivalency Tests team have been offering equivalency examinations to help students progress on to degree programmes for over 20 years. We are part of the Access Programmes Team, enabling access to university by offering equivalency tests and revision support. Plus, delivery of Edge Hill's highly successful 'Fastrack' access programme which provides a free entry route for people lacking the necessary qualifications, study skills and confidence to enter higher education directly.
- Our equivalency tests team is made up academic tutors, former teachers and university admissions staff; we know how to best assist applicants through this process.
- Academic professionals write and deliver our equivalency programmes, including professional examiners and trained exam invigilators.
- All examinees are ID checked by staff with compliance training.

#### **Customer Service**

 The Equivalency Tests team are available Monday-Friday, 9am-5pm, to support candidates with any queries.

You can call 01695 657148

Or email edgehilltests@edgehill.ac.uk.

### **Security and Accountability**

- Banks of exams in each subject are regularly rotated to ensure examinees sit fresh exams.
- Completed exams, marking schemes, profiles of markers and evidence of specific learning difficulties (where relevant) are kept secure for five years before being disposed of in accordance with standard University procedure.

### **Purpose of study**

The GCSE Maths equivalency test will allow students to be awarded an equivalent qualification for entry onto most Edge Hill University degree programmes (excluding Social Work and Medicine), where GCSE Maths is included in the entry requirements.

### **Exam Specification at a Glance**

Candidates study at Intermediate Level and could potentially achieve a Grade 5 as a maximum level of attainment. You must achieve at least 45% to pass the GCSE Maths equivalency test with a Grade 4 equivalent.

The GCSE Maths equivalency exam is 2 hours and 30 minutes in duration. Candidates will sit a calculator paper first, 1 hour and 15 minutes in duration, immediately followed by a noncalculator paper, which is also 1 hour and 15 minutes in duration.

The topics covered in the GCSE Maths equivalency exam are as follows:

- Number and Algebra
- Shape and Space
- **Handling Data**

Calculator Paper	Non-Calculator Paper
Assessment Format	Assessment Format
<ul> <li>Written exam, 1 hours and 15 minutes in duration.</li> <li>60 marks available.</li> <li>Content from any part of the specification may be assessed.</li> <li>A calculator should be used.</li> </ul>	<ul> <li>Written exam, 1 hours and 15 minutes in duration.</li> <li>60 marks available.</li> <li>Content from any part of the specification may be assessed.</li> <li>A calculator cannot be used.</li> </ul>
	ort, single-mark questions to multi-step mand increases as a student progresses

- through the paper.
- Candidates must achieve at least 45% overall to pass the exam.
- 45% = Grade 4 equivalent (previously Grade C, standard pass).
- 65% = Grade 5 equivalent (previously Grade B).

How the new numbered grades compare with the old lettered grades:

Current grading structure	Old grading structure
9	Δ*
8	A
7	A
6	В
5	
4	C
3	D
2	Е
	F
1	G
U	U

### Scheme of Assessment

Candidates attend either a 12-week revision course (12 x 3 hour tutor-led sessions) or a 4 week revision course (4 x 3 hour tutor led sessions) followed by an exam on a pre-arranged date.

There is also the option to sit a standalone test, designed for the syllabus to be studied at home with a written examination taken within 12 months of registration. Candidates are sent a revision pack containing guidance and past papers to support their revision.

GCSE equivalency exams are available 12 months per year on advertised dates: https://www.edgehill.ac.uk/tests

See "Resits and shelf life" in the General Administration section.

All materials are available in English only. See "Access Arrangements" for details of our provision for candidates with additional needs.

#### **Aims**

Mathematics is a creative and highly inter-connected discipline that is essential to everyday life, critical to science, technology and engineering, and necessary for financial literacy and most forms of employment.

This specification in mathematics enables students to:

- develop fluent knowledge, skills and understanding of mathematical methods and concepts.
- acquire, select and apply mathematical techniques to solve problems.
- reason mathematically, make deductions and inferences and draw conclusions.
- comprehend, interpret and communicate mathematical information in a variety of forms appropriate to the information and context.

### **Assessment Objectives**

We follow the assessment objectives set by The Office of Qualifications and Examinations Regulation (**Ofqual**) which are applied to all GCSE Maths specifications and all exam boards. Therefore, the exam will measure how candidates have achieved the following assessment objectives:

AO1	Use and apply standard techniques.  Students should be able to:  accurately recall facts, terminology and definitions  use and interpret notation correctly  accurately carry out routine procedures or set tasks requiring multi-step solutions.
AO2	Reason, interpret and communicate mathematically.  Students should be able to:  make deductions, inferences and draw conclusions from mathematical information  construct chains of reasoning to achieve a given result  interpret and communicate information accurately  present arguments and proofs  assess the validity of an argument and critically evaluate a given way of presenting information.
AO3	Solve problems within mathematics and in other contexts.  Students should be able to:  • translate problems in mathematical or non-mathematical contexts into a process or a series of mathematical processes  • make and use connections between different parts of mathematics  • interpret results in the context of the given problem  • evaluate methods used and results obtained  • evaluate solutions to identify how they may have been affected by assumptions made.

### **Subject content**

In addition to this subject content, students should be able to recall, select and apply mathematical formulae.

Number and Algebra			
Topic Notes			
Understand place value	Read and write whole numbers expressed in figures and words.		
	Order whole numbers to the nearest 10, 100, 1000 etc.		
	Round decimals to the nearest whole number or a given number of decimal places.		
	Round numbers to a given number of significant figures.		
Understand and use decimals,	Show equivalence between the three forms.		
fractions and percentages	Use and apply the four rules of numbers to decimals and fractions.		
	Calculate percentages of a quantity and express a given number as a percentage of another.		
Negative numbers	Using and applying the four rules of number to negative numbers.		
Ratio			
Index notation, including standard form	Express and use number in standard form with positive and negative powers of 10.		
Understand and use common number properties	Show familiarity with multiples, factors, primes, HCF & LCM, powers and roots.		
Manipulate algebraic expressions	Collect like terms; find common factors; multiply two simple brackets; factorise expressions in the form ax² + bx + c		
Manipulate algebraic	Apply the rules of indices to simplify algebraic expressions.		
expressions - continued	Change the subject of a formula.		
Solve equations	Linear equations.		
	Simultaneous equations in two unknowns.		
	Quadratic equations using factorization.		
	Use Trial and Improvement to solve equations.		
Solve inequalities			
Number sequences	Explore number patterns and find a general expression to describe the nth term of a sequence where the rule is linear or quadratic.		

	Shape and Space
Topic Notes	
Graphs	Plotting Cartesian Coordinates.
	Conversion graphs, distance time graphs.
	Draw and interpret graphs of linear functions and quadratic functions.
	y = mx + c
	Use graphs to solve simultaneous equations.
Transformations in a plane	Translation, reflection, rotation and enlargement.
Name and understand the	Angle properties of polygons including interior and exterior angles.
properties of simple 2D and 3D shapes	Angle properties of parallel lines and transversals (corresponding, alternate and interior or allied angles).
Name and understand the	Area and perimeter of triangles, rectangles.
properties of simple 2D and 3D shapes – continued.	Area of parallelograms, trapeziums.
	Circumference and area of a circle.
	Volumes of cuboids, cylinders and regular prisms.
Pythagoras Theorem	Solve problems in two dimensions.
Trigonometry	Solve problems in right angled triangles using sin, cos and tan.
Bearings	3 figure bearings and scale diagrams.
Locus	Points equidistant from: (a) a point (b) a line

	Handling Data		
Topic	Notes		
Data collection and	Tally charts.		
representation	Grouped frequency tables.		
	Cumulative frequency tables.		
	Bar charts.		
	Pie charts.		
	Cumulative frequency curves.		
	Scatter graphs.		
Interpreting data	Find the range of a set of data.		
	Find averages using mean, median and mode.		
	Using cumulative frequency curves to find the median, upper and lower quartiles and interquartile range of a set of data.		
	Box and Whisker diagrams.		
Probability	Outcomes of a combination of 2 experiments.		
	Using tree diagrams and sample space diagrams.		

Mathematical Formulae				
Students are expected to know the following formulae included in the subject content; they will not be given in the exam.				
Circumference and area of a circle	Where $r$ is the radius and $d$ is the diameter: Circumference of a circle = 2 $\pi$ $r$ = $\pi d$ Area of a circle = $\pi$ $r^2$			
Pythagoras' theorem	In any right-angled triangle where $a$ , $b$ and $c$ are lengths of the sides and $c$ is the hypotenuse: $a^2 + b^2 = c^2$			
Trigonometry formulae	In any right-angled triangle <i>ABC</i> where <i>a</i> , <i>b</i> and <i>c</i> are lengths of the sides and <i>c</i> is the hypotenuse: $\sin A = \frac{a}{c}, \cos A = \frac{b}{c}, \tan A = \frac{a}{b}$			
Compound interest	Where $P$ is the principal amount, $r$ is the interest rate over a given period and $n$ is number of times that the interest is compounded:  Total accrued = $P(1 + \frac{r}{100})^n$			
Kinematics formulae	Where a is constant acceleration, u is initial velocity, v is final velocity, s is displacement from the position when $t = 0$ and t is time taken: $v = u + at$ $s = ut + \frac{1}{2}at^2$ $v^2 = u^2 + 2as$			
Students are <b>not</b> expected to relevant question.	n memorise the following formulae; they will be given in the exam in the			
Perimeter, area, surface area and volume formulae Where $r$ is the radius of the sphere or cone, $l$ is the slant height or cone and $l$ is the perpendicular height of a cone:  Curved surface area of a cone = $\pi rl$ Surface area of a sphere = $4\pi r^2$ Volume of a sphere = $\frac{4}{3}\pi r^3$ Volume of a cone = $\frac{1}{3}\pi r^2 h$				
Trigonometry formulae  In any triangle <i>ABC</i> where <i>a</i> , <i>b</i> and <i>c</i> are lengths of the sides: $ sine rule: \frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C} $ $ cosine rule: a^2 = b^2 + c^2 - 2bc \cos A $ $ Area = \frac{1}{2}ab \sin C $				
Perimeter, area, surface area and volume formulae	Where $a$ and $b$ are the lengths of the parallel sides and $h$ is their perpendicular separation:  Area of a trapezium = $\frac{1}{2}(a+b)h$ Volume of a prism = area of cross section x length			

### **General Administration**

Further information about our range of equivalency programmes can be found at www.edgehill.ac.uk/tests

### **Equivalency Tests**

Edge Hill University Equivalency Exams are designed to meet the GCSE requirements for Edge Hill University only. Candidates are advised that other institutions or governing bodies may accept them, however, it is the candidates' responsibility to check that this equivalent exam will be accepted.

### **Awarding grades and reporting results**

These tests are designed and delivered by the Access Programmes Team at Edge Hill University and are not validated through a national examination body.

Candidates who are successful in passing the exam receive a certificate from Edge Hill University. We will post your certificate to your registered address within 10 working days. You must notify us within 15 working days if you haven't received the certificate, otherwise, after this time there will be a charge.

It is the candidate's responsibility to inform Edge Hill Tests of a change of address. Please contact us if you have changed address since registering for your test so that we can send your certificate to the correct location.

#### Re-sits and shelf life

Candidates have two further opportunities to re-sit their exam if they are not successful in the first instance.

Candidates are informed that they must keep their certificate safe; after five years we cannot guarantee that we will be able to retrieve their results and confirm that they sat and passed an equivalency test at Edge Hill University. If candidates lose their certificate or require a replacement, the charge is £5.

### **Previous learning and prerequisites**

The 12-week courses require some prior subject knowledge (i.e. they are not suitable for complete beginners). The 4-week courses are suitable if the candidate has a sufficiently advanced level of existing subject knowledge and understanding to not require the longer 12-week programme.

Standalone GCSE tests are for candidates who are not able to join one of our equivalency courses, or feel that, with some self-revision, their subject knowledge is already sufficient.

### **Access Arrangements**

We make reasonable adjustments to the exam format to meet the requirements of our candidates with additional needs.

We ask candidates who have a disability or a specific learning difficulty to speak to us in advance so that we can discuss their requirements and make the arrangements. In certain circumstances, this may mean arranging a private exam. Candidates are asked to contact the Equivalency Tests Team to provide evidence of a specific learning requirements, such as an educational Psychology Report or Needs Assessment, at least five working days prior to the exam date. It is not possible to guarantee being able to meet requests made on the day of the test.

We are unable to approve extra time in exams for candidates on the basis that English is their second language. All candidates must be assessed according to the same marking criteria and following the same regulations, so that grades and certificates have the same validity.

### **Access Programmes Team**

Janet Fairclough - Access Programmes Manager Anne-Marie Kennedy – Pre-Entry Advice and Guidance Officer Lindsey Tetlow – Senior Admissions Administrator (Access Programmes) Joanne Williams – Admissions Assistant Vicki Guttridge – Admissions Assistant

#### **Contact Us**

You can visit our website for information about all of our equivalency programmes: <a href="https://www.edgehill.ac.uk">www.edgehill.ac.uk</a>

The Equivalency Tests team are available Monday-Friday, 9am-5pm.

If you have any queries about equivalency tests, please get in touch:

T: 01695 657148

E: edgehilltests@edgehill.ac.uk

# Your GCSE Maths Equivalency Exam



#### **Revision Guidance**

This information pack contains a list of the topics which you will need to revise for your exam, as well as exam preparation information and practise papers. The pack is designed to support your revision in preparation for your equivalency exam, but it is not designed to emulate the exams in any way.

You will need to use additional revision materials.

### **Text books:**

Any Intermediate Level GCSE Mathematics book on the market will cover all the main points in the syllabus.

#### Online:

The BBC GCSE Bitesize website is also a useful resource for many of the topics: <a href="https://www.bbc.com/bitesize/subjects/z38pycw">https://www.bbc.com/bitesize/subjects/z38pycw</a>

You should follow the advice given in the AQA or Edexcel specifications.

#### AQA:

https://www.bbc.com/bitesize/examspecs/z8sg6fr



### **Exam Preparation**

Please take time before each exam to read the instructions on the front of the exam paper.

### GCSE Maths equivalency standalone test:

- 2.5 hours in duration.
- 75 minute calculator paper, immediately followed by a 75 minute non-calculator paper.

You much achieve at least 45% to pass the test.

45% = Grade 4 equivalent (previously Grade C, standard pass).

65% and above = Grade 5 equivalent (previously Grade B).

### What to bring with you:

You will need to bring photo ID to register for the exam.

Acceptable ID includes: passport, driving license, recognised age ID card, residential permit, student or NUS Card.

If you have recently changed your name you must bring additional evidence such as a change of name document or marriage certificate. If you feel your name has not been registered correctly please contact us prior to the exam.

#### **GCSE Maths:**

- A blue/black pen
- A pencil
- A protractor
- A ruler
- A scientific calculator

### **Receiving Results**

Please allow at least 4 weeks for your paper to be marked.

Unless otherwise requested, candidates will initially be informed of results by telephone. If you are successful in passing the exam, confirmation will also be made in writing and posted to your registered address.

#### Contact

The Equivalency Tests team are available Monday-Friday, 9am-5pm.

If you have any queries about equivalency tests, please get in touch by calling 01695 657148 or emailing <a href="mailto:edgehill.ac.uk">edgehill.ac.uk</a>

### On the Day of Your Exam



Please read the following information carefully, as it contains important information about the terms and conditions of Edge Hill University Standalone Equivalency Exams.

### Arriving for your exam

You have been asked to arrive 30 minutes before the start of the exam for registration. This will allow us time to register everyone. Please wait outside the exam room until registration begins.

If you arrive 0-15 minutes after the start of the exam, you will be able to sit your test, but you will not be given any extra time.

If you arrive more than 15 minutes after the start of the exam, you will be refused entry and advised to re-book your test; this will not count as one of your attempts.

### **Registration and Identification Checks**

All examination candidates must bring a photo ID document to register for the exam. Acceptable ID includes: passport, driving licence, recognised age ID card, residential permit, student or NUS Card. The ID must contain a visible name and a photograph with a clear resemblance to the candidate sitting the examination. If you have recently changed your name you must bring additional evidence such as a change of name document or marriage certificate. If you feel your name has not been registered correctly please contact us prior to the exam.

The Invigilator in the examination venue will check each candidate's ID in advance of the exam. If an invigilator has any doubts over the validity of a candidate's ID, or if the candidate has not brought their ID or any other form of photographic identification with them to the examination, the candidate will still be allowed to sit the examination, however, they will be required to take a photograph of themselves on the day of the exam and email it to <a href="mailto:edgehill.ac.uk">edgehill.ac.uk</a> along with a photograph of a valid ID document.

Edge Hill University acknowledges that some examination candidates will choose to wear religious dress, for example: turbans and hijabs/veils. It may be necessary, for the purposes of identification before an examination, to ask a student to remove any garment that obscures their identity. In the case of a female student who is asked to remove a veil in order for the Invigilator to confirm their identity, an appropriate female member of staff will accompany the student to a private area where they can remove their veil to enable identification to take place.

### **Invigilators**

The role of the invigilators is to supervise your exam and make sure your exams take place according to the rules and that the rules are applied fairly. You must follow any instructions given by an invigilator. It is your responsibility to listen to and follow these instructions.

If anything unexpected happens to you during an exam, such as feeling unwell, you should notify the invigilator immediately.

#### **Additional Needs**

We are happy to make reasonable adjustments to the exam format in order to meet the requirements of our candidates with additional needs.

All venues are accessible. However, if you have a disability or a specific learning difficulty, we do recommend that you speak to us in advance so that we can discuss your requirements and to allow us time to make the arrangements. In certain circumstances, this may mean you need to sit the exam on an alternative date.

Please contact the Equivalency Tests Team to let us know and provide evidence at least five working days prior to the exam date. It is not possible to guarantee being able to meet requests made on the day of the test.

Please contact <a href="mailto:edgehill.ac.uk">edgehill.ac.uk</a> with evidence of your specific learning requirements such as an educational Psychology Report or Needs Assessment, or call 01695 657148 if you wish to discuss anything.

#### Your conduct

Improper conduct and actions that cause a disturbance during an exam are considered malpractice. They are unfair for other candidates and penalties often include losing marks or having your exam entry cancelled.

Examples of malpractice by candidates include:

- Pretending to be someone else or getting someone else to attempt to sit an exam for you.
- Disruptive behaviour in the exam room.
- Using rude, abusive, offensive or discriminatory language or images in your answer booklet.
- Copying from another candidate.
- Using any material or aids that would give you an unfair advantage in the exam.

#### Rules

It is important that you follow the test rules, to make sure that everyone has a fair and equal chance of doing their best work:

- When you enter the exam room you are under exam conditions; you must be silent, you must not communicate with anyone else in the room, or disturb other candidates.
- All personal belongings and any revision materials should be stored under your chair or table and out of your / your fellow candidates' line of vision.
- Mobile phones and web enabled devices must be switched OFF, put inside the clear plastic bag provided and placed on top of your desk for the duration of the exam. Phones cannot be used as calculators or timing devices.
- Any pencil cases should be clear plastic if they are on top of your desk.
- Water can be brought into the exam room in clear bottles.
- You cannot eat food, unless you have notified us of a medical condition.
- If you need to visit the bathroom during the exam, you cannot take any exam materials including stationery with you. Additional time is not allowed for such breaks (unless specified under an additional needs report).
- Dictionaries/ thesauruses are not permitted in any exam.
- If you require any assistance during the exam, please raise your hand and wait for the invigilator to approach you.

### Question papers and answer booklets

It is important to read the instructions on the front of your exam paper. Make sure you follow them carefully and note the duration of your exam.

If you need extra paper, you should raise your hand and ask the invigilator.

You must complete your details legibly on the front of the question paper or answer booklet. If using extra paper, remember to write your name and the exam date on each sheet and put these inside your answer booklet.

Work through your question paper until you see the statement END OF EXAM. There will be nothing else you need to answer after this.

### Writing your answers

You must use a pen with black or blue ink and it is important that you write legibly. Markers will do their best to read your work, but they might not be able to award marks if your writing is difficult to read.

In some subjects, poor spelling and punctuation could also result in marks not being awarded.

Remember to cross out any rough work or unwanted answers if you make more than one attempt at a question.

### Leaving the exam room

You can leave the exam if you finish early, but please be considerate of other candidates who may still be working. Please be aware that talking outside of the exam room can be very distracting.

All exam papers, scrap paper and answer booklets must be handed in at the end of the exam. You could lose all marks for the paper concerned if you do not give your answer booklet to the invigilator before leaving the exam room, or when requested.

### **Subject Papers**

Please take time before each exam to read the instructions on the front of the exam paper.

GCSE Maths equivalency standalone test:

2.5 hours - 75 minute calculator paper, immediately followed by a 75 minute non-calculator paper.

### **Edge Hill University, Ormskirk**



,					F <sub>3</sub>	Margaret Bain	● Ma	E5	Lady Margaret	1 Lady M	14	Chancellors South	0
ILY	CITIVETSITY	(Guest Accommodation)	(Guest		F3	EM Butterworth	Ø EM	E <sub>5</sub>	alton	John Dalton	H3-J3	Chancellors Court	0
+ 4 7	Ilmirrance			0	r F3	Katherine Fletcher		G5		Stanley	E6	Founders East	•
TTT	146C 11	Woodland Court G5 - H5	18 K.X	9	E <sub>3</sub>	Lady Openshaw	① Lac	G5		(f) Clough	C6-D6	Founders West	0
=	Fdoo Hill	e Court G6	Palatine Court	•	E3	Eleanor Rathbone		G6	Court	Forest Court	A4, A5, B5	Graduates Court 1	0
											ENCE	HALLS OF RESIDENCE	
									1			- Post	
7	Series Applicate				SeII:	to explore the campus yourself:	ore the car	го ехри	2	9		The Sports Centre	-
7	Goodle Play	<b>V</b>	ddy m	į	Download the Euge IIII OIII VII tuan Toul E	age IIIII o	odu me Ed	mwod	E6	9		The Arts Centre	T
•	Download on	ODITED OF	A		W	Hill II	and the E	Downl	D <sub>2</sub>	6		Tech Hub	T
									F4	<b>3</b>		Students' Union	S
	Information Centre		Ω.			Medical School		Medical School	F <sub>5</sub>	0		The Hub	T
æ !	Security and Customer 26		I 2	23 22		Catalyst Creative Edge	ntor	Library Media, Department of	E5	4	ā	Student Administration	S
		Cashpoints (ATM)	T 7		nology	Law and Psychologi	ogy, Department of	Law and Criminology, D	F4	ı Centre) (1)	vity Building (Wilson	Sport and Physical Activity Building (Wilson Centre) (1)	S
2	racuity of Education (Lakeside) 10	Waters Edge	2 8			Durning Centre		IT Services	F6	e C	r Information Centi	Security and Customer Information Centre	¥
		The Red Bar	g; (		(Stanley)	Main Building (Stanley)	as 0	International Office	15			ман кесериоп	
r		Subway	2 9		Tark Marragati	Main Building	eing Centre	Health and Wellbeing Centre	1				
r r	Students' Union 3	Students' Union Bar Students' Union Shon	2 23		Ith and Social Care	Faculty of Health ar	eith and Social Care, Faculty of	Health and Social	E6	9		Performing Arts	P
		McColl's (Shop)	R		(Hub)	Main Building (Hub)		Hale Hall	E3	6		Old Gym	0
	Student Hub 2	Grab and Go Snack Bar	<u>p</u> 55		(Lady Margaret)	Main Building (Lady Marg GeoSciences	ofment of	Finance Office Geography, Department of	D <sub>4</sub>	0		Medical School	M
្ច ទួ		53.3° North	8			Magnolia	on Room	Faith and Reflecti	G6	E		Magnolia	M
S	ith and Social Care	Café Rewind	ខ្ល		a (crondin)	Durning Centre	ment	Facilities Management	170	9 6		Louge	
		Food, Drink and Shopping	2		Clarent	Main Building (Clouds)	mmes nd Creative Writing	Education progra	<b>R</b> .	9		Man o	-
			모		cation (Piazza)	tion Faculty of Education (P	lion: Secondary, Further Educa	Education: Secon	E	0		Law and Psychology	1
F	Main Building	Vice-Chancellor's Office	g		eamino)	(Professional Lea	sional learning	Educationarrores	F2			Laurels	L
F6		Teaching and Learning	3					Education and Communities	A6	9		Hargrave	Н
	Sports Centre 24	Sports Centre	<b>P</b> 9		cation (Lakeside)	Faculty of Education (La)	y or Years Children,	Education: Early Years Children	Cı		Centre, Milton Hou	Health and Wellbeing Centre, Milton House	н
		Students' Union Bar	7 7			Main Building		Directorate	υ4	E		GeoSciences	G
<u>Ω</u> !		Student Services	ନ୍ତ ।			Durning Centre		Deliveries	5		SOCIAL CHIC	racury or meanin and operar care	, ;
ŋ ç	Catalyst 22 Shident Administration 4	Student Plancial Support	y j		stration	Student Admin	unications	Course Enguiries	?		Corial Case	milty of Health and	5
 ? gr	Administration	Student Experience	3 33			The Lodge		Confucius Institut	E		Professional Learni	Faculty of Education (Professional Learning)	E
			D2 :			Tech Hub	e, Department of	Ĕ	D <sub>4</sub>	Θ	Piazza)	Faculty of Education (Piazza)	E
	Sport and Physical Activity 19	Sport and Physical Activity, Department of	P 9		5	Catalyst Students' Union		Careers Centre	B4	6	Lakeside)	Faculty of Education (Lakeside)	E
	Creative Edge 23	Social Sciences, Department of	R 1		a command	Durning Centre		Capital Projects	G2	<b>(</b>		<b>Durning Centre</b>	D
		Security	2 23			BioSciences	ent of	Biology, Departm	H4	(3)		Creative Edge	C
		Research Office	B (			The Arts Centre		Arts Centre	04	•		Catalyst	2
	Main Building	rsychology, Department or Becention	<u> </u>		istration	ncesy catalyst Student Admin	Olikos (olimpanii osa)	Admissions	2	9 (		talust	2
	Performance Studio 6a	Performing Arts, Department of	2 33		(Claugh)	ent Unit Main Building (Clough	ğ	Academic Quality		6		Business School	В
	The Arts Centre 5	Performing Arts, Department of	œ		ristration	Student Admin		Academic Registr	D <sub>3</sub>	9		BioSciences	В
ber Grid	Building Numb	Department	Grid	Number		Building		Department	imber Grid	Number	S	BUILDING LOCATIONS	- to

### Holy Cross College in Bury, Greater Manchester

For exam candidates who live closer to Manchester, we hold some of our exams at Holy Cross College on selected Tuesday evenings from 5:30pm.

**PLEASE NOTE: There is NO onsite parking.** A lot of streets in the areas surrounding Holy Cross are residential parking or two-hour parking only. Please carefully check signs when parking and allow time to travel from your parking space to the college. You must sign in at Main Reception on arrival and the invigilator will collect you and lead you to the exam room.



### **Syllabus: Revision Checklist**



Your equivalency exam will cover the topics below.

You can use these pages as a revision checklist. Tick ✓ the topics as you revise them.

### Number and Algebra

<b></b>	Topic	Notes	Sample Questions
	Understand place value	Read and write whole numbers expressed in figures and words.  Order whole numbers to the nearest 10, 100, 1000 etc.  Round decimals to the nearest whole number or a given number of decimal places.  Round numbers to a given	<ol> <li>Write three hundred thousand, two hundred and six as a number.</li> <li>Write the number 5.6479 correct to a) one decimal place b) three significant figures</li> </ol>
		number of significant figures.	
	Understand and use decimals, fractions and percentages	Show equivalence between the three forms.  Use and apply the four rules of numbers to decimals and fractions.  Calculate percentages of a quantity and express a given number as a percentage of another.	<ul> <li>3. Express the fraction 3/5 as</li> <li>a) a decimal</li> <li>b) a percentage</li> <li>4 A car which had been bought for £5,000 is sold for £3,500 three years later. Calculate the percentage loss on the deal.</li> <li>5. 4/5 x 20/32</li> </ul>
	Negative numbers	Using and applying the four rules of number to negative numbers.	6. (-3) + (+8) 7. (-9) - (-2) 8. (-3) × (-11) 9. (+27) ÷ (-3)
	Ratio		10. Divide £300 in the ratio 7: 8

Index notation, including standard form	Express and use number in standard form with positive and negative powers of 10.	<ul> <li>11. Write these numbers in standard form:</li> <li>a) 6,340</li> <li>b) 0.000762</li> <li>12. Give your answer to the following calculation in standard form: <ul> <li>4.5 × 10<sup>-4</sup> × 4.0 × 10<sup>-1</sup></li> </ul> </li> <li>13. Re write this list of numbers in order of size, starting with the smallest. <ul> <li>8.17 × 10<sup>3</sup></li> <li>5.55 × 10<sup>-5</sup></li> <li>2.88 × 10<sup>2</sup></li> <li>7.22 × 10<sup>-5</sup></li> <li>5.27 × 10<sup>5</sup></li> </ul> </li> </ul>
Understand and use common number properties	Show familiarity with multiples, factors, primes, HCF & LCM, powers and roots.	<ul> <li>14. Express 24 as a product of its prime factors</li> <li>15. Find the HCF of 12 and 8</li> <li>16. Which is larger 2<sup>3</sup> or 3<sup>2</sup>?</li> </ul>
Manipulate algebraic expressions	Collect like terms; find common factors; multiply two simple brackets; factorise expressions in the form ax² + bx + c	17. Simplify the following expression:  4x - 8y - 3x + 7y  18. Factorise  a) 9cd + 12de  b) 3ab <sup>2</sup> - a <sup>2</sup> b <sup>3</sup> c) x <sup>2</sup> - x - 12  19. Multiply (2x + 5)(x - 3)
Manipulate algebraic expressions - continued	Apply the rules of indices to simplify algebraic expressions.	20. Simplify a) $6x^5 \div 3x^2$ b) $2x^2 \times 3x^3$ c) $(3x^2)^3$
	Change the subject of a formula.	21. Rearrange the following formula to make <b>s</b> the subject t <sup>2</sup> - rs = q
Solve equations	Linear equations.	22 Find the value of x when: a) 2x + 5 = 11 b) 5x + 5 = 7x - 21
	Simultaneous equations in two unknowns.	23 Find the values of x and y when: a) 3x + 4y = 23 b) 2x - 3y = 4
	Quadratic equations using factorisation.	24 Find the value of x when $x^2 - 2x - 15 = 0$

	Use Trial and Improvement to solve equations.	25 Find the value of x to two places of decimals if $x^3 = 38$ i.e. If $x = 3$ , $x^3 = 27$ - too small if $x = 4$ , $x^3 = 64$ - too big if $x = 3.5$ , $x^3 = 42.825$ - too big if $x = 3.5$ , $x = 42.825$ - too big	
Solve inequalities		26 Find the range of values of x if: a) $3x - 6 \le 12$ b) $x^2 \ge 16$	
Number sequences	Explore number patterns and find a general expression to describe the nth term of a sequence where the rule is linear or quadratic.	27 Find the next term and the nth term in each of these sequences: a) 2, 5, 8, 11, 14 b) 0, 2, 6, 12, 20	

### Shape and Space

<b>\</b>	Topic	Notes	Sample Questions
	Graphs	Plotting Cartesian Coordinates.	28. The points ABCD form a square. If A is the point (-1,2), B is (4,2) and C is (4,-3), find the coordinates of the point D.
		Conversion graphs, distance time graphs.	See specimen papers.
		Draw and interpret graphs of linear functions and quadratic functions.	29. Draw the graph of $y = x^2 - 5$ where $-4 \le x \le 4$ . From the graph, find the values of $x$ when $y = 0$ .
		y = mx + c Use graphs to solve simultaneous equations.	30. Draw the graphs of $y = 3x - 5$ and $y = 3 - x$ .  Use the graph to solve the simultaneous equations $y = 3x - 5$ $y = 3 - x$
	Transformations in a plane	Translation, reflection, rotation and enlargement.	<ul> <li>31. Draw x and y axes from -10 to +10. Plot the following points and join them up: A (-4,4), B (-3,4), C (-3,3), D (-2,3), E (-2,2), F (-4,2)</li> <li>(a) Draw an enlargement with a scale factor of 2 for this shape, using (-6,7) as the centre of enlargement.</li> <li>(b) Draw the reflection of ABCDEF in the line x = 2.</li> <li>(c) Rotate ABCDEF about the point (-6,1), through an angle of 90° in a clockwise direction.</li> </ul>
	Name and understand the properties of simple 2D and 3D shapes	Angle properties of polygons including interior and exterior angles.	32.A hexagon has angles of 155°, 98° and 89°. The other three angles are equal. Find the size of the remaining angles.
		Angle properties of parallel lines and transversals (corresponding, alternate and interior or allied angles).	33. Find the size of the missing angles if AB is parallel to CD.  A 72° c B C 59° D
	Name and understand the properties of simple 2D and 3D shapes - continued.	Area and perimeter of triangles, rectangles.  Area of parallelograms, trapeziums.  Circumference and	34. Calculate the size of the shaded area if the side of the square is 20cm.

	area of a circle.	
	Volumes of cuboids, cylinders and regular prisms.	35. Find the volume of a tin of beans with a radius of 3cm and height 7cm.
Pythagoras Theorem	Solve problems in two dimensions.	36. In a triangle ABC, A = 90°, AB = 9cm and BC = 12cm. Find the length of AC correct to 1 decimal place  B  9cm  12cm  C
Trigonometry	Solve problems in right angled triangles using sin, cos and tan.	37. If angle BAC = 43° and AB = 10 cm, find the length of AC and BC. Give your answer correct to two places of decimals.  B  A 43° C
Bearings	3 figure bearings and scale diagrams.	<ul> <li>38. A boat leaves a harbour A and sails 5km south - west to a point B, and then 3km south to a point C.</li> <li>By use of an accurate scale drawing, find on what bearing it must sail to head directly back to harbour and how far it has to sail.</li> </ul>
Locus	Points equidistant from (a) a point (b) a line	

### Handling Data

<b>/</b>	Торіс	Notes	Sample Questions
	Data collection and representation	Tally charts.  Grouped frequency tables.  Cumulative frequency tables.  Bar charts.  Pie charts.  Cumulative frequency curves.  Scatter graphs.	39. The times taken for students to complete two questions were recorded as:
	Interpreting data	Find the range of a set of data.  Find averages using mean, median and mode.  Using cumulative frequency curves to find the median, upper and lower quartiles and interquartile range of a set of data  Box and Whisker diagrams	<ul> <li>40. Draw a cumulative frequency curve for the information in question 39 and use it to find the median and inter quartile range of the data.</li> <li>41. The annual salaries of employees in a small company are £45,000, £25,000, £15,000, £15,000 and £12,000. Find the mean, mode, median and range of this set of data.</li> </ul>
	Probability	Outcomes of a combination of 2 experiments.  Using tree diagrams and sample space diagrams	42. A fair 6 sided die and a 10p coin are tossed simultaneously. Complete the sample space diagram to show all the possible outcomes.   1 2 3 4 5 6 H H,1 H,2 T T,1  (a) What is the probability of throwing a tail and an odd number? (b) What is the probability of throwing a head or a number greater than 4

#### Answers to Sample Questions

- 1. 300,206
- 2. a) 5.6
  - b) 5.65
- 3. a) 0.6
  - b) 60%
- 4. 30 %
- 5. 1/2
- 6. +5
- 7. -7
- 8. +33
- 9. -9
- 10. £140 : £160
- 11. (a)  $6.34 \times 10^3$ 
  - (b)  $7.62 \times 10^{-4}$
- $12.1.8 \times 10^{-4}$
- 13.  $5.55 \times 10^{-5}$

 $7.22 \times 10^{-5}$ 

 $\times 10^2$ 

 $8.17 \times 10^{3}$ 

 $5.27 \times 10^{5}$ 

- 14. 2 x 2 x 2 x 3
- 15. 4
- 16. 3<sup>2</sup>

17. x - y

- 18. (a) 3d (3c + 4e)
  - (b)  $ab^2 (3 ab)$
  - (c) (x-4)(x+3)
- 19.  $2x^2 x 15$
- 20. (a)  $2x^3$ 
  - (b)  $6x^5$
  - (c)  $27x^6$
- 21.  $s = q t^2$  or  $s = t^2 q$
- 22. (a) x = 3
  - (b) x = 13
- 23. x = 5, y = 2
- 24. x = 5 or x = -3
- 25. x = 3.36
- 26. (a)  $x \le 6$ 
  - (b)  $x \le -4$  or  $x \ge 4$
- 27. (a) 17, 3n 1
  - (b)  $30, n^2 n$
- 28. (-1,-3)
- 29. x = +2.2 and x = -2.2
- 30. x = 2, y = 1

- 31. (a) A' (-2,1), B' (0,1), C' (0,-1), D' (2,-1), E' (2,-3), F' (-2,-3)
  - (b) A" (8,4), B" (7,4), C" (7,3), D" (6,3),
  - E" ( 6,2 ), F" ( 8,2 )
  - (c)  $A^{"}$  (-3,-1),  $B^{"}$  (-3,-2),  $C^{"}$  (-4,-2),
  - D" (-4,-3), E" (-5,-3), F" (-5,-1)
- 32. 126°
- 33. a = 108°, b= 59°, c = 59°, d = 49°, e = 108°
- 34. Area of square = 400 cm<sup>2</sup>
  Area of circle = 314.16 cm<sup>2</sup>
  Shaded area = 85.84 cm<sup>2</sup>
- 35. 197.9 cm<sup>2</sup>
- 36. 7.9 cm
- 37. AC = 10.72 cm, BC = 14.66 cm
- 38. 028°, 7.4 km
- 39.

Time	Students	Cumulative
(in mins)		Frequency
$0 < t \le 20$	3	3
$21 < t \leq 25$	12	15
26 < t ≤ 30	25	40
31 < † ≤ 35	49	89
36 < t ≤ 40	21	110
41 < † ≤ 45	7	117
46 < t ≤ 50	3	120

40. answers are approximate:

median = 32

upper quartile = 35

lower quartile = 28

interquartile range = 7

41. mean = £22,400

median = £15,000

mode = £15,000

range = £33,000

42.

	1	2	3	4	5	6
Н	H,1	H,2	H,3	H,4	H,5	H,6
Т	T.1	T.2	T,3	T.4	T.5	T.6

(a)  $\frac{1}{4}$ 

(b)  $\frac{1}{3}$ 

# Edge Hill GCSE Maths Equivalency Test



### Specimen Paper 1

### 2 Hours and 30 minutes

Name	
Nume	

### ATTEMPT ALL QUESTIONS

- o Show all your working in the space provided and make sure your answer is clear.
- o It is assumed that you have a scientific calculator, ruler and protractor.
- $\circ$  If your calculator does not have a  $\pi$  button, take the value of  $\pi$  to be 3.142
- o Diagrams are not necessarily drawn to scale.
- o The marks for each question are given in brackets by the side of the question.
- Marks may be given for method even if your answer is wrong.
- The total marks available are 120

### Calculator Questions

[2]

1. A cake is made from fat, flour and sugar




The cake weighs 110g
The weight of the sugar is 42g

(a)(i)	What percentage of the weight is sugar? Give your answer correct to one decimal place.			
		[2]		
(ii)	The ratio of the weight of flour to the weight of sugar is 3 : 2.  What is the weight of the flour?			
		[2]		
	packets of cereal are priced as shown.  th packet represents the best value? You must show your working clearly.  260g 98p  500g £1.88			

3. One Saturday a newsagent sells the following:

National daily newspapers	510
Echo	360
Magazines and comics	210


Draw a clearly labelled pie chart to represent these sales.




The diagram illustrates a garden.
 60% of the garden is a rockery.

 <sup>1</sup>/<sub>4</sub> of the garden is a patio.

 What percentage of the garden is lawn?



[3]


[3]

5.	(a)	Light travels at 186,000 miles per second, to the nearest thousand miles.  Write this number in standard form.	[2]
	(b)	The planet Jupiter is 486.6 million miles from the sun.  Calculate how long the light takes to travel from the sun to Jupiter.  Give your answer to the nearest minute.	
			[3]
6.		Mrs Jones earns £21,000 per annum. Her annual pay rise this year is 3%. What will her new salary be?	
			[2]
7.		Darren drives 38km at an average speed of 63km per hour  Calculate how long his journey takes. Give your answer in minutes.	
8.		The volume of a sphere is given by the formula $V = \frac{4}{3} \pi r^3$	[2]
-	(a)	Rearrange the formula to give r in terms of V.	
			[2]

	(b)	Find the value of r when $V = 75 \text{ cm}^3$	
		[2	<b>)</b> [
			٠.
9.		A ladder, 2.75m long leans against a wall.  The bottom of the ladder is 1.80m from the wall, on level ground.	
		2.75 m	
		Calculate how far the ladder reaches up the wall.	
		Give your answer to an appropriate degree of accuracy.	

[3]

10. The scatter diagram shows the heights of sixteen Year 9 boys and their fathers.



(a)	What does the scatter diagram tell you about the relationship between the
	heights of these boys and their fathers?

- (b) Draw a line of best fit on the diagram. [1]
- (c) Bill, another Year 9 boy, is 155cm tall.

  Use the diagram to estimate the height of Bill's father.

  Show clearly how you obtained your answer.

[2]

- 11. Given that  $y = x^2 + 1$ 
  - (a) Complete the table below,


×	0	1	2	3	4	5	6
У				10			37

[2]

(b) Plot these points on the grid below and hence draw the graph of  $y = x^2 + 1$  [2]

(c) Use your graph to find the value of x when y = 30

[1]




12. (a) Use trial and improvement to solve the equation  $x^3 + x^2 = 500$ One trial has been completed for you. Show all your trials. Give your answer correct to 1 decimal place.

×	$x^3 + x^2$	
7	7 <sup>3</sup> + 7 <sup>2</sup> = 392	Too small

.....[4]

(b) A company makes cartons for fruit juice



Each carton is a pentagonal prism as shown.

The cross section of the prism is formed from a square and an isosceles triangle.

The perpendicular height of the triangle is 2cm and the base of the triangle is  $\times$  cm.

The prism is  $x ext{ cm long}$ .

(i) Show that the volume of the carton ,  $V\ cm^3$  is given by the formula

$$V = x^3 + x^2$$

.....

[3


.....[3]

(ii) The volume of the carton is  $500 \text{ cm}^3$ .

Use your answer to part (a) to find the height of the carton

13. The diagram shows a map of a group of islands.

The map has been drawn to a scale of 1cm to 5km.



- (a) A straight road joins Porbay to Chalon.
  - (i) Use the map to find the length of this road in kilometres.

.....

(ii) Brian cycles to Porbay along this road.

He sets off at 0930 and cycles at an average speed of 18km per hour.


At what time does he arrive in Chalon?

(b) A lighthouse is on a bearing of 080° from Porbay and 200° from Darville. Mark, with a cross, the position of the light house on the map.

[3]


[2]

14. The diagram shows a 'No Entry' sign which has a radius of 35 cm.



If the white rectangle measures 60 cm by 10 cm, find the area of the sign	
that is painted red. Give your answer to a reasonable degree of accuracy.	
[	41

15. A wire 18cm long runs from the top of a pole to the ground as shown in the diagram. The wire makes an angle of 35° with the ground.



Calculate the height of the pole.
Give your answer to a suitable degree of accuracy.

[4]

# Non-calculator Questions

16.	(a)	Factorise completely 3a <sup>2</sup> - 6a	[2]
	(b)	Multiply out and simplify ( $2x - 1$ )( $x - 3$ )	ردا
			[3]
17.	Look	at this number pattern.	
		7 <sup>2</sup> = 49 67 <sup>2</sup> = 4489 667 <sup>2</sup> = 444889 6667 <sup>2</sup> = 44448889	
		The pattern continues.	
	(a)	Write down the next line of the pattern.	[2]
	(b)	Use the pattern to work out 6666667 <sup>2</sup>	[2]
	(6)	What is the square root of 111111111111111111111111111111111	[1]
	(c)	What is the square root of 444444448888889?	
			[2]
18.	(a)	Find the next two terms in the sequence:	
		3, 8, 13, 18, 23,,	
			۲ <b>1</b> ٦

(b)	Write down the n <sup>th</sup> term of the sequence:	
(c)	What would be the 100 <sup>th</sup> term in the sequence?	[2]
		[1]
	In the diagram, AB is parallel to ED. Angle CED = 54° and angle BCD = 1	100°
	B	
	$A \longrightarrow C \longrightarrow D$	
	E not to	acolo
(a) (i)	Write down the size of angle x	scale
		[1]
(ii)	Find the size of angle y	
		[2

AB = 5.4 cm

AC:CD is 3:2

Triangle ABC is similar to triangle DEC.


19.

(b)

	Calculate the length of DE.
	[3]
20.	The diagram represents a regular pentagon with two of its lines of symmetry shown. $ \frac{q}{p} = \frac{1}{r} $
<b>(</b> a	
<b>(</b> b	) Calculate the size of angle q
(c	Calculate the size of angle r

[2]

21. A graph of the equation y = ax + b is shown.



Find the values of a and b.

[3]

22. (a) Solve the equation

$$3x - 2 = x + 7$$


[2]

[3]

(b) Solve the simultaneous equations

$$x + y = 4$$


(c) Solve the inequality

$$2(3x-2)<11$$


 	 	•••••

[2]

[2]

23. Boxes P and Q each contain five numbered balls.

The balls in each box are numbered as shown.



A ball is taken from each box at random.

(a) What is the probability that both balls are numbered 2?


\_\_\_\_\_\_[2]

(b) What is the probability that both balls have the same number?

.....[2]

(c) What is the probability that the number on the ball from box P is greater than the number on the ball from box Q?

24. (a)	Write down a decimal	that lies between	$\frac{1}{3}$ and $\frac{1}{2}$	<b>r</b> 4.
(b)	Which of these two fr	actions is the bigge	:r?	[1]
	<u>3</u> 4 Show your working	or <u>2</u> 3		
				 [2
He n	xaminer marked 320 exo oted the time it took to table gives a summary of	mark each one.		
	Time, t minutes	Frequency	Cumulative frequency	
	0 < <b>t</b> ≤ 2	15		
	2 < † ≤ <b>4</b>	85		
	<b>4</b> < <b>t</b> ≤ <b>6</b>	170		
	6 < t ≤ 8	40		
	8 < † ≤ 10	10		
(a) (i) (ii)	Complete the table by  On the grid opposite, o	_	ative frequencies. requency diagram to show	[2 this
	information		1 7 3	
(b)	Making your method cl	ear, use your diagro	am to find	[2
(i)	the median time taken	to mark each paper		
(ii)	the inter-quartile rang		:n	[2
				[2




26. The distance between Southampton and London is 120km.

A coach leaves Southampton at 0800 to travel to London.

The coach travels 60 km at an average speed of 80 km per hour and then stops for 30 minutes. It then continues its journey arriving in London at 1100.


At 1115 the coach leaves London and returns to Southampton without stopping. It arrives in Southampton at 1230.

(a) Draw a travel graph for the journey of the coach.



		[3]
(b)	What was the average speed of the coach on the return journey?	
		[2]

27.



A pupil measures the height in metres of the girls in her class.

She writes these heights in order of size as shown above. One of the heights is in the wrong place.

(a)	Put a ring round the height that is in the wrong place.	[1]
(b)	Calculate the mean height of the girls.	[1]
		[2]

(Total marks 120)

END OF EXAM

#### **Answers to Specimen Paper 1**

#### Answers to questions involving diagrams of graphs may vary slightly

1.(a)(i) 38.2%	21. a=3/5, b=3
(ii) 63g	·
2.The 260g box gives 265.30612g per £ so	22. (a) x= 4.5, (b) x=2.4, y=1.6
It is better value	(c) x<2.5
3.Pie chart with angles 170°,120°, 70°	23. (a) $\frac{1}{25}$ , (b) $\frac{1}{5}$ , (c) $\frac{2}{5}$
4. 15%	24. (a) any decimal between 0.33333 and 0.5 (b) ¾ is bigger
5(a) 1.86 x 10 <sup>5</sup>	25. (a) (i) 15, 100,270,310,320 (ii) on
(b) 44 mins	diagram
6. £21,630	(b) (i) 4.6 minutes (ii) 1.8 minutes
7. 36 minutes	26. (a) On graph (b) 96 km per hour
8.a) $r=3\sqrt{\frac{3V}{4\pi}}$ b)2.62cm	27. (a) 1.4 (b) 1.48m
9. 2.10m to 2dps	
·	
10. There is a good positive correlation – the	
taller the father the taller the son.	
11.(a) 1,2,5,17,26, (b) On graph, (c) 5.4	
12.(a) 7.6 (b)(i) Area of triangle = x, Area of	
square = $x^2$ , Area of cross section = $x^2 + x$ ,	
Volume of prism = $x(x^2 + x) = x^3 + x$	
(b)(ii) 7.6cm	
13.(a)(i)45km, (ii)1200	
(b) On map.	
14. 3248cm <sup>2</sup>	
14. 3240CIII-	
15.10.32m	
10 ( ) 0 ( 0) ( 1) 0 0 7	1
16 (a) 3a(a-2) (b). 2x2 – 7x + 4	
17. (a) 66667 <sup>2</sup> = 4444488889	
(b) 44444448888889	
(c) 66666667	
18. (a) 28, 33 (b)5n-2, (c)498	
19. (a)(i) 54° (ii) 46°	
(b)3.6cm	
20.(a) 90° (b) 72° (c)108°	

# Edge Hill GCSE Maths Equivalency Test



# Specimen Paper 2

## 2 Hours and 30 minutes

#### ATTEMPT ALL QUESTIONS

- Show all your working in the space provided and make sure your answer is clear.
- o It is assumed that you have a scientific calculator, ruler and protractor.
- $\circ$  If your calculator does not have a  $\pi$  button, take the value of  $\pi$  to be 3.142
- o Diagrams are not necessarily drawn to scale.
- o The marks for each question are given in brackets by the side of the question.
- o Marks may be given for method even if your answer is wrong.
- o The total marks available are 120

# **Calculator Questions**

Use	a calculator to find the value of
(a)	<u>3.86 + 17.59</u> 5
(b)	<u>9.76 + 1.87</u> 18.3 - 15.8
(c)	330 1.2 × 5.5
(d)	<u>1</u> √(0.16)
	se does a sponsored bicycle ride. wheel of her bicycle is of radius 25 cm.
(a)	Calculate the circumference of one of the wheels
(b)	She cycles 50km. How many revolutions does a wheel make during the

		[3]
4.	In a sale a dress costs £28.90. The original price has been reduced by 15%	[3]
	What was the original price?	
		[21
		۲۲

5. Katy is using trial and improvement to find an answer to the equation

$$x^3 - x = 35$$


The table shows her first two tries.

×	x <sup>3</sup> - x	Comment
3	24	Too low
4	60	Too high

Continue the table to find a solution to the equation.

Give your answer correct to 1 decimal place.


6. This net will fold into a 3 dimensional shape.



(a)	Calculate the area of the net. Remember to state the units in your answer.

(b) (i) Draw a sketch of the shape that the net makes when folded.


[2]

[3]

[4]

(ii)	What is the mathematical name for this shape?	[1
(c)	Calculate the volume of this shape. State the units in your answer.	
		[3
<i>O</i> n	a computer keyboard there are 104 keys	
(a)	26 of the keys have letters on them What fraction of the keys have letters on them? Give your answer in its simplest form.	[2
(b)	13 of the keys have arrows on them. What percentage of the keys on the keyboard have arrows on them?	
		[2

8.



the diagram is not drawn to

BCD is a straight line. CE = 16 cm

(a)	Calculate the size of the angle marked x	
		[3]
(b)	Calculate the length of AC	[3]
		[2]
(c)	Use your answers to parts (a) and (b) to calculate the length of ${\sf BC}$	
		[3]

	$4.5 \times 10^{-3}$ centimetres and BC = $6.2 \times 10^{-4}$ centimetres
(a)	Calculate the area of the rectangle.  Give your answer in standard form. State the units in your answer.
(b)	Calculate the perimeter of the rectangle.
	Give your answer in standard form. State the units in your answer.
outs On o	a motorway there are three lanes, an inside lane, a middle lane and an ide lane.  day, at midday, the speed of the traffic on these lanes was in the on 3:4:5.
outs On c ratio	ide lane.  day, at midday, the speed of the traffic on these lanes was in the
outs On a ratio	ide lane.  day, at midday, the speed of the traffic on these lanes was in the on 3:4:5.  speed on the outside lane was 70 miles per hour.
outs On c ratio	ide lane.  day, at midday, the speed of the traffic on these lanes was in the on 3:4:5.  speed on the outside lane was 70 miles per hour.

The contents of books and newspapers can be stored on microfilm.

9.

When a model is fired in a kiln, the probability that it shrinks is 0.95. 11. When taken out to cool, the probability that it cracks is 0.04 What is the probability that when a model is fired it does not shrink? (a) [2] A model is fired in a kiln and then taken out to cool. (b) Complete the tree diagram Write all the missing probabilities on the appropriate branches cracks shrink does not crack cracks does not shrink does not crack [2] Calculate the probability that the model shrinks and also cracks. (c)

[2]


### 12. Graham and Wendy go ten pin bowling.



(a)	Graham's first eight scores are:	
	5, 8, 8, 5, 5, 6, 6, 5	
	What is his mean score?	
		[2]
(b)	Wendy's first eight scores are:	
	5, 8, 2, 2, 9, 3, 2, 9	
	(i) What is her modal score?	
		[1]
	(ii) What is the range for Wendy's scores?	[1]
		[1]
(c)	Who is the better bowler?	r-1
	Give a reason for your answer.	
		[2]

# Non-calculator Questions

#### 13. The spinner shown is biased.



The probabilities of getting a particular colour are shown in the table below.


Colour		RED	YELLOW	BLUE	GREEN
	Probability	0.4	0.1	0.3	

(a) Comp	lete the table to show the probability of getting GREEN	r
	spinner is spun once.	[
What	is the probability of getting either RED or BLUE?	
		[
	spinner is spun 50 times. eximately how many times would you expect to get RED?	
		г
. Solve	the simultaneous equations	[
	2a + 4c = 13	
	a + 3c = 8	

••••
••••
[4]

15. Jenny cycles to school each day.


The graph shows her journey from home to school. On the way she stops to talk to her friends.



(a)	How many times does she stop to talk to her friends?	
(b)(i)	How far does she travel in the first stage from home to A?	[1]
(ii)	What is her average speed for the first 10 minutes? Give your answer in kilometres per hour.	[1]

		[2]
(c)	On which stage of her journey is her average speed fastest?	
		Γ11

16. Two right angled triangles are put together on a 1cm grid to make a kite.




(a)	What is the area of the kite? Remember to state the units.			
		[2		

(b) Draw a sketch to show how the two triangles can be put together to make an isosceles triangle.

17.	Writ	Write down the nth term for each of the following sequences.				
	(a)	3, 6, 9, 12	-47			
	(b)	1, 4, 7, 10	[1]			
	(c)	1, 4, 9, 16	[1]			
	(d)	4, 16, 36, 64	[2]			
18.	(a)		[2]			
	(b)	Expand and simplify (2x + 1)(3x -2)	[2]			
	, ,					
			[3]			

19. The map shows part of Shropshire.




(a)	What is the bearing of Cleeton from Mortimer?	
		[2]
(b)	Which town is on a bearing of 011° from Mamble?	
		15.

20. The table shows the mathematics test results for 90 students. The test was marked out of 60.

Mark (x)	Frequency	Cumulative Frequency
0 ≤ x ≤ 10	12	12
10 < x ≤ 20	15	
20 < x ≤ 30	29	
30 < x ≤ 40	16	
40 < x ≤ 50	11	
50 < x ≤ 60	7	

(a)	Complete the cumulative frequency column	<b>[1</b> ]
(b)	Draw a cumulative frequency diagram on the grid opposite	[1]
(c)	Use your diagram to estimate	[3]
	(i) the median	
		[2]
	(ii) the interquartile range	
		[2]
(d)	The pass mark for the test is 25 marks. Use your graph to estimate how many pupils pass the test.	
		[2]




21.

# 3, 9, 20, 25, 29, 75, 92, 100

Which of the numbers in the box are

	(a)	square numbers?	
	(b)	factors of 100?	[2]
	(c)	prime numbers?	[2]
			[2]
22.	(a)	Factorise completely $3x^2 - 6x$	
			[2]
	(b)	Make $\dagger$ the subject of the formula. $W = \frac{5t + 3}{4}$	
			[2]

23.



Describe fully a single transformation that would map the shaded shape onto

(a)	shape A	
		[2]
(b)	shape B	
		[3]
(c)	shape C	
		[2.

<del>4</del> .	Solve the equations				
	(a)	2x + 10 = 29			
			[2]		
	(b)	5x - 4 = 8 - x			
			[2]		
		<b>/-</b>	400		
		(Total marks	3 120)		
		END OF EXAM			

Answers to Specimen Paper 2
Answers to questions involving diagrams or graphs may vary slightly.

4.4400	1() 2 () 2
1. 1400	18. (a) $3x^3 - 5x$ , (b) $6x^2 - x - 2$
2. (a) 4.29, (b) 4.652, (c) 50, (d)2.5	19. (a) 295°, (b)Mawley
3. (a) 157.1cm, (b) 31800	20. (a) 27, 56, 72, 83, 90, (b) on diagram, (c)(i)27, (ii) 20, (d) 53
4. £34	21. (a) 9, 25, 100, (b) 20, 25, 100 (c) 3, 29
5. 3.4	22. (a) $3x(x-2)$ , (b) $t = \frac{4W - 3}{5}$
6. (a) 86cm <sup>2</sup> , (b) (i) diagram (ii) triangular prism (c) 30cm <sup>3</sup>	23. (a) Reflection in the line y = 0 (i.e. x axis) (b) Rotation through 90° in an anticlockwise direction. The centre of the rotation is (0,0)
7. (a) ¼, (b) 12.5%	(c) Enlargement, scale factor 3, centre of enlargement at (5,4)
8. (a) 30°, (b) 9.997cm, (c) 4.95cm	
9. (a) 2.79 x 10 <sup>-6</sup> , (b)1.024 x 10 <sup>-2</sup>	24. (a) x=9.5, (b) x=2
10. 42mph	
11.(a) 0.05, (b) 1 <sup>st</sup> column 0.95, 0.05, 2 <sup>nd</sup> column 0.04, 0.96, 0.04, 0.96. (c) 0.038	
12. (a) 6, (b)(i)2 (ii)7, (c) different answers, (d) Graham – he has a higher mean score OR,	
the smaller range means that he is more consistent.	
13. (a)0.2, (b)0.7, (c)20	
14. $a = 3\frac{1}{2}$ , $c = 1\frac{1}{2}$	
15. (a) twice, (b)(i) 2km, (b)(ii) 12km per hour, (c) D to E	
16.(a) 10cm <sup>2</sup> , (b) Diagram	
17. (a) 3n, (b) 3n-2, (c) n <sup>2</sup> , (d)3n <sup>2</sup>	



## Edge Hill University

# **Special Examination in Mathematics** for Mature Applicants to Teacher Training

## Test Paper 1 2001

#### Two and a half hours


Name						
INAIIIC	 	 	 	 	 	 

#### ATTEMPT ALL QUESTIONS

- Show all your working in the space provided and make sure your answer is clear.
- It is assumed that you have a scientific calculator, ruler and protractor.
- If your calculator does not have a  $\pi$  button, take the value of  $\pi$  to be 3.142
- Diagrams are not necessarily drawn to scale.
- The marks for each question are given in brackets by the side of the question.
- Marks may be given for method even if your answer is wrong.
- The total marks available are 120.


#### **Calculator Questions**

1. A circle is drawn inside a triangle as shown.



- (a) Calculate the area of the triangle

  [2]
  (b) Calculate the size of the shaded area
- Every hour, on the hour, a train leaves Toronto for Montreal.
   At the same times, trains leave Montreal for Toronto.
   All trains travel at a speed of 75 mph.
   The distance between Toronto and Montreal is 300 miles.
  - (a) On the grid (on the next page), draw the distance time graphs of the trains. (One of the distance time graphs has been drawn for you)



[2]

3. Jane conducted a survey about what her neighbours did on bonfire night. Her results are summarised in the table below.

Stayed at home	37
Went to the park	83
Went to a friend's house	42
Went to the cinema	3
Didn't reply	15
Total	180

Tane was asked to draw a pie chart to illustrate these results. What angle should she use for 'Went to the park'?					
	• • •				

	[3]
In a general election, a candidate loses her/his deposit if s/he does not get least 5% of the total votes cast.  Mary Ashworth, John Barnard and Bill Crowther are the only three candidatin the General Election in Bradworth.	
5235 people voted for John Barnard 425 people voted for Bill Crowther	
Bill Crowther kept his deposit because he got 5% of all the total votes cast. How many people voted for Mary Ashworth?	,
	[2]
	[3]
$B$ $38^{\circ}$ $C$ $X$ $D$	
In the diagram CB = CD	
Calculate the size of the angle marked $x$	

4.

5.


(a)

					[2]
(b)	Calculate the	size of the angle marked	l y		[د]
					[2]
(c)	Does AB = BD	?			
	Give as reasor	n for your answer			
,					[1]
<b>5</b> .		n a survey was taken of 1 v spent queuing at the ch			
	•	e shown below.	ochodi was i ocoi doc	••	
		Time t minutes	Number of		
			customers		
		$0 < t \le 5$	18		
		5 < t ≤ 10	42		
		10 < † ≤ 15	30		
		15 < † ≤ 20	8		

Calculate an estimate of the mean time the customers had to queue.	
	Γ:

20 < t ≤ 25

7.



A is the point (0,3) and B is the point (3,9).


(a) Calculate the gradient of the line AB


(b) Write down the equation of the line AB

[2]

8. The sketch shows triangle ABC.

AB = 40cm, AC = 41cm and CB = 9cm



Not drawn accurately


By calculation, show that triangle ABC is a right angled triangle.

.....

					[2
	$8.17\times10^3$	5.55 × 10 <sup>-5</sup>	$2.88 \times 10^{2}$	$7.22 \times 10^{-5}$	5.27 × 10 <sup>9</sup>
(b)	Write these n	umbers in order,	, starting with th	ne smallest:	
					[2
9.(a)		rom the earth to		proximately 384,0	000 km.
					[2

10. Use trial and improvement to solve the equation  $x^3 - 2x = 30$ Two trials have been completed for you. Show all your trials. Give your answer correct to 1 decimal place.


x <sup>3</sup> - 2x	
3 <sup>3</sup> - 6 = 21	Too small
4 <sup>3</sup> - 8 = 56	Too big
	3 <sup>3</sup> - 6 = 21



[4]

11.	A regular polygon has interior angles of $162^{\circ}$ . How many sides has the polygon got? Show all your working.	n
		[3]
12.	A formula is given as $\mathbf{v} = \mathbf{u} + \mathbf{a}\mathbf{t}$	
(a)	Calculate v when $\mathbf{a} = 3$ , $\mathbf{t} = 1.5$ and $\mathbf{u} = 2$	
		<b>[11</b> ]
		[1]
(b)	Re-arrange the formula to make <b>a</b> the subject	
		[2]
(c)	Calculate $\mathbf{a}$ when $\mathbf{v} = 10$ , $\mathbf{u} = 3$ and $\mathbf{t} = 5$	
		[2]

13. The diagram shows a kite, ABCD.



Not to scale

AE = 12 cm, DE = EB = 20 cm and BC = 28cm

(a) Calculate the size of angle EBC

 	[3]
	[]

(b) Calculate the length of EC and hence find the area of the kite.


14(a)	Write down a decimal that lies between $\frac{1}{5}$ and $\frac{1}{6}$ .	<b>[11</b> ]
(b)	Which of these two fractions is the bigger?	[1]
	$\frac{3}{5}$ or $\frac{2}{7}$ Show your working	
		[2]
15.	A child's hula hoop has a diameter of 80cm.	
(a)	What is the circumference of the hula hoop?	
		[2]
(b)	Jenny pushed the hula hoop along a 20 m path. How many complete turns did the hula hoop make?	
		[2]

### Non-calculator Questions

16.


### 1, 4, 5, 23, 25, 36, 41, 43, 45

Look at the numbers in the box above.

(a)	Which of these numbers are multiples of 3?	
		[1]
(b)	Which of these numbers are square numbers?	
(c)	Which of these numbers are prime numbers?	
17.	The probability that I am late for work on a Monday is 0.4 The probability that I am late for work on a Tuesday is 0.2	
	What is the probability that in one particular week	
(a)	I am late for work on both Monday and Tuesday	
		[2]
(b)	I am late for work on Monday but on time on Tuesday	
(0)	Tam on time both on Manday and an Tuaday	[2]
(c)	I am on time both on Monday and on Tuesday	
(d)	I am late for work on Monday or Tuesday but not both days	[2]

Factorise fully 5	5x² - 10	)×						
				•••••	•••••	••••••	•••••	
ist the values of $x$ ,	where		whole 2 ≤ x <		r, such	that		

(a) On the grid below, draw a scatter diagram to show this information.



(b) What does this diagram tell you about the relationship between the length of a journey and its cost?

.....[1]

[3]

- (c) Draw a line of best fit [1]
- (d) Estimate the cost of a taxi journey of 16 km.

\_\_\_\_\_\_[1]

(e) I was charged £6.20 for a taxi journey. Estimate the length of the journey.

22. Paul and Kay take part in a quiz. The rules are:

For each correct answer +5 points
For each wrong answer -2 points

(a)	In the first round, Paul gets three questions correct and one question wrong What is his total number of points?					
		[1]				
(b)	Kay has +6 points after her first four questions.  Write down <b>one</b> way she may have done this.					
		[1]				
23.	Solve the equation $3 (4x - 1) = 27$					
		[3]				
24.	Solve the simultaneous equations $6x + 3y = 12$ $2x - y = -2$					

		[4]
		[ . ]
25.	Solve the equations:	
(a)	3x + 9 = 30	
		[2]
(h)	5x - 2 = 2x + 7	L-J
		[2]
26.	Max shares £420 with a friend in the ratio 5:3	
20.	How much does each receive?	
	now much does each receive?	
		[2]

27. Look at the following sequence:

(a) Write down the next two terms in the sequence

	[]	[]


(b) Explain how you got your answer to part (a)

F4 7		
	••••••	

(c) Write down the nth term in the sequence

	•
 	 •
 	 [2]

28.



(a)	Describe the single transformation that will transform shape ${\it C}$ to shape B	
		[2]
(b)	Describe the single transformation that will transform shape $\it A$ to shape $\it C$ .	
		[3]
29. A	carton is 50cm long, a40 cm wide and 30 com high. How many boxes measuring 10 cm $\times$ 8 cm $\times$ 3cm would fit into one of these cartons?	ıg

- 30. Given that  $y = x^2 + x$ 
  - (a) Complete the table below,

×	0	1	2	3	4	5	6
У				12			42


(b) Plot these points on the grid below and hence draw the graph of  $y = x^2 + x$ 

[2]

[2]

(c) Use your graph to find the value of x when y = 25

\_\_\_\_\_[1]



31. The heights of a small group of boys were measured. The results were: 151 cm, 148 cm, 147 cm, 152cm, 154cm, 160 cm, 148 cm, 149 cm

(a) What was their median height?

.....[

(b)	What was their modal height?	
		F4.7
(c)	What was the range of their heights?	[1]
		Г <b>1</b> 1

#### END OF EXAM

#### **ANSWERS FOR PAST PAPER 1**

Answers to questions involving diagrams or graphs may vary slightly.

1.(a) 252 cm <sup>2</sup> ,	15. (a) 251cm <sup>2</sup> , (b) 7
(b) Area of circle 154cm <sup>2</sup> , shaded area 98cm <sup>2</sup>	
2.(a) 16 lines in total, 7 in a direction parallel to	16.(a) 36,45, (b) 1,2,25,36, (c) 5,23,41,43
the line shown. 8 in a direction parallel to the	
line joining 9am in Montreal with 1pm on	17. (a) 0.08, (b) 0.32, (c) 0.48, (d) 0.44
Toronto joining 9am and 1pm	
(b)(i) 3.30pm or 115 miles from Toronto (ii) 7.	18. 20°
3. 166 <sup>0</sup>	19. 5x (x-2)
4. 2840	202,-1,0,1,2
5. (a) 74 <sup>0</sup> , (b) 39 <sup>0</sup> , (c)No, the triangle isn't	21. (b) The longer the journey, the higher the
isosceles as y ≠38 <sup>0</sup>	higher the cost. Good positive correlation.
6. 9.2 mins	(d) £9.50, (e) 9.5 to 10km
7.(a) 2, (b) y=2x+3	22. (a) 13, (b) 5+5-2-2
8. $9^2 + 40^2 = 41^2$ (Pythagoras)	23. x=2.5
9.(a) 3.84 x 10 <sup>5</sup> , (b) 5.55 x 10 <sup>-5</sup> , 7.22 x 10 <sup>-5</sup> ,	24. $x = \frac{1}{2}$ , $y = 3$
$2.88 \times 10^{2}$ , $8.17 \times 10^{3}$ , $5.27 \times 10^{5}$	24. X - 2 , Y - 3
10. x = 3.3	25. (a) x=7, (b) x=3
11. exterior angle – 18°, 20 sides	26. Max £262.50, friend £157.50
11. Exterior arigic 10, 20 sides	20. Max 2202.00, Mond 2 107.00
V - II	27. (a) 31, 44 (b) The difference between the
12. (a) 6.5, (b) $a = \frac{v - u}{t}$ , (c)1.4	Terms increases by 2 each time, (c) n <sup>2</sup> -5
13. (a) 44.4 <sup>0</sup> , (b) 19.6cm, 632cm <sup>2</sup>	28. (a) Reflection in the line y = -1, (b) Rotation
	through an angle of 180° in an anticlockwise
14(a) Any number between 0.1666 and 0.2	direction. Centre of rotation (0.5, -3.5)
•	
(b) $\frac{3}{5}$	
29. 250	31. (a) 150cm, (b)148cm, (c) 13cm
30. (a) 0,2,6,20,30, (c) 4.6	



# Edge Hill University

# Test Paper 3 2001

#### Two and a half hours

Name		
Name	 	 


#### ATTEMPT ALL QUESTIONS

- Show all your working in the space provided and make sure your answer is clear.
- It is assumed that you have a scientific calculator, ruler and protractor.
- If your calculator does not have a  $\pi$  button, take the value of  $\pi$  to be 3.142
- Diagrams are not necessarily drawn to scale.
- The marks for each question are given in brackets by the side of the question.
- Marks may be given for method even if your answer is wrong.
- The total marks available are 120.

#### Calculator Questions

1. This is an architect's plan for a new church kitchen.

Scale 1:50




(a) What is the actual length of the kitchen? Give your answer in metres.

(b) The doorways are 90cm wide. To improve disabled access, it has been decided that the doorways should be increased by 30%. How wide will they be after the work has been completed?

2. Solve the equation

3x - 9 = 5x - 5

3.	A kilometre is approximately $\frac{5}{8}$ of a mile. Jean is travelling at an average	
	speed of 36 miles per hour as she drives through a French village with a speed limit of 50 Kilometres per hour. Is she exceeding the speed limit? Show your working clearly.	
4.	Snooker is played with 15 red balls, 6 other coloured balls and one white bal All 22 balls are kept in a box.	[2] I.
(a)	A ball is taken out of the box at random.  What is the probability that it is a red ball?	
		[1]
(b)	The ball is put back in the box and another ball is taken out at random.  Calculate the probability that both balls taken out are red.	
		[2]
5.	The mass of one atom of oxygen is given as $2.66 \times 10^{-23}$ grams. The mass of one atom of hydrogen is given as $1.67 \times 10^{-24}$ grams.	
	A molecule of water contains two atoms of hydrogen and one atom of oxygen	١.
(a)	Calculate the mass of the two atoms of hydrogen in a molecule of water.	
		[2]
(b)	Calculate the mass of the molecule of water.	




.....[3]

7. Find the value of  $ab^2 + \frac{b}{a}$  when a = 5 and b = -3

8. The diagram shows a regular 12 sided polygon (called a dodecagon). Each interior angle is 150°.

The lines BK and DI have been drawn.



(a)


What is the special name for the polygon ALKB?

.....[

(b)	Calculate the size of the angle marked $x$ .	
		[2]
(c)	Calculate the size of the angle marked y.	
		[2]
		[-]
9.	The distance from the planet Earth to Kronos is 35 000 000 000 000 miles.	
	Write this number in standard form.	
		[2]
		[-]


10. The length of life of 100 batteries of a certain make was recorded. The table shows the results.

Length of life (hours)	<10	<15	<20	<25	<30	<35	<40
Cumulative frequency	0	2	9	50	86	96	100



ω	Draw a cumulative frequency graph to mustrate this data.	[2]
b)	How many batteries had a life of more than 32 hours?	
		[1]
(c)	Use your graph to estimate the median.	
		[2]
(d)	Use your graph to estimate the interquartile range.	


11.	A 'No Entry' sign consists of a white rectangle on a red circle as shown:
-----	---



The sign has a radius of 35cm and the white rectangle is 60cm long and 10cm wide.

What is the perimeter of the white rectangle?	
Find the area that is painted red.	
A 'Travel Saver Card' entitles the holder to $40\%$ off the normal price of a journey.	
A particular journey normally costs £28.50.  How much would it cost with a Travel Saver Card?	

13. The diagram shows a ladder leaning against a wall.



[2]

(a) Calculate the size of angle a.



14. Solve the inequality

(a) 3x - 7 < x - 3



[2]

(b) Solve the inequality

$$x^2 < 9$$


	• • • • • • • • • • • • • • • • • • • •			 	• • • • • • • • • • • • • • • • • • • •	 [2]
 		,	1 . 1			

(c) List the values of x which satisfy your answer to part (b)

15. There are two parts to a driving test, a theory test and a practical test.

You must pass the theory test before you are allowed to take the practical test.

Rob is taking his driving test.

The probability that he passes the theory test is 0.7 The probability that he passes the practical test is 0.9

(a) The tree the possible the missing




diagram shows outcomes. Fill in probabilities.

(D)	Calculate the probability that Rob passes both parts of his ariving test.
[2]	

(c) Calculate the probability that he passes the theory test but fails the practical test.

		[2]
(d)	Calculate the probability that he fails the driving test.	
		<b>.</b>
		[2]
16.	In computing terms, a kilobyte is $2^{10}$ bytes but the prefix kilo usually refer a thousand. How many more than 1000 is $2^{10}$ ?	s to
		[2]

## Non-Calculator Questions

17. (a	)List the prime numbers that lie between 20 and 30.	[2]				
(b)	List the square numbers that lie between 20 and 50.					
		[2]				
18.	2700 people work in one department of the European Parliament.					
	The pie chart shows where the people come from.					
	Switzerland  Belgium 50° France  160°  Luxembourg 46°  Other  Countries					
(a)	Calculate the size of the angle for Luxembourg.					
		[1]				
(b)	From the information given, calculate how many of the 2700 people came fr France.	'om				
		[2]				

19.(a)	Wri	te down					·	ience			
			-1, 7	2, 7, 1	14, 23,	,	,		[2]		
(b)	Expl	Explain how you got your answer.									
									[1]		
(c)	What would be the nth term for the sequence?										
									[2]		
20. (a	)	Comp	olete t	he foll	owing r	number	patte	ern.			
	1 <sup>3</sup>	=	1 × 1	× 1	=	1					
	<b>2</b> <sup>3</sup>	=	2 x 3	2 x 2	=	8					
	3 <sup>3</sup>	=			=	27					
	<b>4</b> <sup>3</sup>	=			Ξ				[1]		
(b)	Use your answers to part (a) to complete this number pattern.										
	13			=	1	=	1 <sup>2</sup>				
	13 +	<b>2</b> <sup>3</sup>		=	9	=	3 <sup>2</sup>				
	1 <sup>3</sup> +	$2^3 + 3^3$		=	36	=	6 <sup>2</sup>				
	1 <sup>3</sup> +	2 <sup>3</sup> + 3 <sup>3</sup>	+ 4 <sup>3</sup>	Ξ		Ξ			[2]		
(c)	A line of pattern (b) is shown below.										
	Filli	Fill in the missing parts of this line.									
					=	441	=		[2]		


#### 21. Solve the simultaneous equations

3a + 2b = 29

2a - 3b = 2

.....

#### 22. The map shows the position of three towns.




PTO for questions

(a)	W	hat is the bearing of Barton from Anly?	
			. [2]
(b)	W	hat is the bearing of Canio from Barton?	
			. [2]
23.	AB	BCD is a rectangle	
		$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
(a) \	Write	e down the expression, in terms of $x$ , for	
	(i)	The length of BC,	
	(ii)	The length of DQ	[1]
(b)	(i)	Given that BC =DQ, use your answers to (a) to write down an equation terms of $x$ .	
		PTO for part (ii)	[1]

(ii)	Solve your equation to find the value of $x$									
		[2]								

24. A triangle ABC has vertices A(4,3), B(5,1), C(1,1).



- (a) Draw an enlargement of triangle ABC by scale factor of 3 from the centre of enlargement E(4,1). Label the enlarged triangle A'B'C'.
- (b) Draw the image of the triangle A'B'C' after it has been rotated through  $180^{\circ}$  about the point R(0,-2). Label the new triangle A"B"C". [2]

[2]

### 25. Given that $y = x^2 - x$

(a) Complete the table below,


×	1	2	3	4	5	6	7
У			6			30	

[2]

(b) Plot these points on the grid below and hence draw the graph of  $y = x^2 - x$ 


[2]

(c) Use your graph to find the value of x when y = 35



A delivery van driver left Liverpool at 9.30 am, stopped at the motorwood services for $\frac{1}{2}$ hour at 11.30 am and finally arrived at her destination London, 210 miles from home at 1pm. What was her average speed for the whole journey?	in
 [2	2]

(b) After a break of  $\frac{3}{4}$  hour, she returned to Liverpool without stopping. Her average speed for this part of the journey was 55 mph. Complete the distance time graph to show this information.



27. A magic square is shown below.Every row, column and diagonal adds up to the same total of 15.

8	3	4
1	5	9
6	7	2

(a) For the magic square below, every row, column and diagonal should add up to 3. Fill in the missing numbers.

2	-3	4
3	1	
-2		0

[2]

[2]

28. Expand and simplify

 $(2x - 3)^2$ 

.....


.....

29. The table shows the largest quantity of salt, w grams which can be dissolved in a beaker of water at temperature  $t^{\circ}$ 

t° C	10	20	25	30	40	50	60
w grams	54	58	60	62	66	70	74

(a) On the grid below, plot the points and draw a graph to illustrate this information.

(b)	Use your graph to find the lowest temperature that which 63g of salt will disso water.	lve in
(c)	Use your graph to find the largest amount of salt that will dissolve in the water at 44° C.	[1]
		[1]
(d)	The equation of the graph is of the form	
	w = at + b	
	Use your graph to estimate the values of the constants a and b.	
		[3]
(e)	Use the equation to calculate the largest amount of salt which will dissolve in the water at 95° $\it C$ .	e
		[2]



END OF EXAM

#### **ANSWERS FOR PAST PAPER 2**

1. (a) 4m, (b) 117cm	17. (a) 23, 29 (b) 25, 36, 49
2. x= -2	18. (a) 56°, (b) 1200 people
3. Yes she is exceeding the limit. She is travelling at approximately 57.6 km per hour.	19. (a) 34, 47 (b) The difference between terms increases by two each time. (c) n <sup>2</sup> -2
4. (a) $\frac{15}{22}$ , (b) $\frac{225}{484}$	20. (a) $3 \times 3 \times 3$ , $4 \times 4 \times 4 = 64$ (b) $100 = 10^2$ , (c) $1^3 + 2^3 + 3^3 + 4^3 + 5^3 + 6^3 = 441 = 21^2$
5. (a) 3.34 x 10 <sup>-24</sup> , (b) 3.606 x 10 <sup>-24</sup>	21. a = 7, b = 4
6. (a) 4.5cm, (b) 32.5cm	22. (a) 020°, (b) 255°
7. 44.4	23. (a) (i) $2 + x$ , (ii) $9 - x$ (b) (i) $2 + x = -x$ , (ii) 3.5
8. (a) Trapezium, (b) 30°, (c) 60°	24. (a) A' (4,5), B'(7,1), C'(-5,-1) (b) A"(-4,-9), B"(-7,-3), C"(5,-3)
9. 3.5 x 10 <sup>16</sup>	25. (a) 0, 2, 12, 20, 42 (c) 6.4
10. (b) 92, (c) 25, (d) 5	26. (a) 60mph (b) through (1.45,210) and then (3.45,100)
11. (a) 140cm, (b) Area of circle = 3848.45cm <sup>2</sup> Area of rectangle = 600cm <sup>2</sup> Red area = 3248.45cm <sup>2</sup>	27. (a) -1, 5
12. £17.10	28. 4x² - 12x + 9
13. (a) 49°	29. (a) on graph (b) 32°c, (c) 68g, (d)a = 0.4, b = 50 (e) 0.37
14. (a) x<2, (b) x<3 or x>-3 i.e -3 <x<3 (c)="" -1,="" -2,="" 0,="" 1,="" 2<="" td=""><td></td></x<3>	
15. (a) 0.3, 0.9, 0.1 (b) 0.63, (c) 0.07 (d) 0.37	
16. 2 <sup>10</sup> = 1024, 1024 – 1000=24	114

# Edge Hill University

## Test Paper 1 2003

#### Two and a half hours

Namo					
INAIIIE	 	 	 	 	 

#### ATTEMPT ALL QUESTIONS

- Show all your working in the space provided and make sure your answer is clear.
- It is assumed that you have a scientific calculator, ruler and protractor.
- If your calculator does not have a  $\pi$  button, take the value of  $\pi$  to be 3.142
- Diagrams are not necessarily drawn to scale.
- The marks for each question are given in brackets by the side of the question.
- Marks may be given for method even if your answer is wrong.
- The total marks available are 120.

### Calculator Questions

[2]

1. The cash price of a mountain bike is £1049



Fred buys the bike by paying a £200 deposit and 12 monthly instalments of £75.


How much more than the cash price does Fred pay?

[2]
[-]

2. Solve the equation



3. Circular tops are stamped out of a sheet of metal like the one shown in the diagram below.




How much of the material is waste?

Planet	Average speed of	
T	orbit (Km/h)	
Jupiter	$4.7 \times 10^4$	
Mercury	$1.7 \times 10^5$	
Neptune	1.2 × 10 <sup>4</sup>	
Pluto	$1.7 \times 10^4$	
Saturn	$3.5 \times 10^4$	
Uranus	$2.5 \times 10^5$	
 Uranus travel in 24 hours	s? Give your answer in standard	form.
 Uranus travel in 24 hours		form.
 Uranus travel in 24 hours		form.
 Uranus travel in 24 hour		form.

[2]

5. A girder is 5m long. Its cross section is L shaped as shown below.




	find the volume of the girder. Remember to state the units in your answer.	
		[5]
6.	The distance between Heysham and the Isle of Man is 80m.	
	A hovercraft travels at 50km per hour.	
	How long does the journey take? Give your answer in hours and minutes	
		[3]

7. The table below shows the number of candidates at each grade for two music examinations, Strings and Brass

			Grades			
	Excellent	Very good	Good	Pass	Fail	Total number of candidates
Strings	200	650	700	400	50	2000
Brass	200	300	250	100	50	900

The pie chart for Strings has been drawn for you. Complete the pie chart for brass.



tı	wo places of decimals.	
(a)	<u>5.14 + 2.86</u> 1.38 + 3.57	
 (b) 	<u>5.14 + 2.86</u> 1.38 + 3.57	[1
 (c)	5.14 + 2.86 1.38 + 3.57	[1
	our of the angles of an octagon are each 125°. The other angles are all qual. Find the size of one of the other angles.	[1]
	One of the interior angles of a regular polygon is 156°. Find the size of an terior angle of this polygon.	[
 (ii) H	ow many sides has this polygon got?	[

Use your calculator to evaluate the following questions. Give your answers to

8.

10.

Thirty days hath September, April, June and November All the rest have thirty one Excepting February alone
Which has but twenty eight days clear
And twenty nine in a leap year


Twelve cards are labeled with the months of the year and put in a box.

January	February	March	April
May	June	July	August
September	October	Novembe	er December

Freda takes a card out of the box without looking at it.

٧	What is the probability that the month drawn has more than 27 days?
A	A card is then drawn out and not replaced. A second card is then drawn.
T	The number of days in the two months drawn are added together. What is
t	he probability that the total number of days in the two months is 61?

## 11. A rectangle ABCD measures 6cm by 9cm.




(a) l	Find the area of the rectangle.	
<b>(</b> L)		[1]
(b)	Calculate the perimeter of the rectangle	
(c)	Calculate the length of the diagonal AD. Show all your working. Give your answer correct to two places of decimals.	[1]
		<b>.</b>
(d)	Nelma calculates the angle ADC to be 56.31°. Is she correct? Show all your working.	[2]
		[3]

12(a). Complete the table for the graph of  $y = x^2 + 2x - 6$ 

X	-3	-2	-1	0	1	2
У	-3	-6				

(b) Draw the graph on the grid.



(c) Use your graph to solve the equation  $x^2 + 2x - 6 = -4$ 

[2]

[3]

[2]

## Non-Calculator Questions

	3(a)	Draw the lines of	symmetry on this red	ctangle.	
The pupils in a class are asked how many goals they each scored in a netball lesson. The results are shown in the table.    Number of goals   Number of pupils   0					
Number of goals   Number of pupils   0	<b>)</b> )	What is the order	r of rotational symme	etry of this rectangle	e?
Number of goals   Number of pupils   0					
0     1       1     8       2     11       3     5       4     4       5     1		• •			cored in a netball
1     8       2     11       3     5       4     4       5     1			Number of goals	Number of pupils	
2 11 3 5 4 4 5 1					_
3       5         4       4         5       1					
4     4       5     1					_
5 1					_
					1
		Calculate the mea	5	1	
				······································	•••••••


Li	ne 2	
		$2^2 + 4 = 2 \times 4$
Li	ne 3	$3^2 + 6 = 3 \times 5$
(i) W	rite down th	ne fourth line of this pattern
(ii) W	Inita dawa th	ne <i>n</i> th line of this pattern.

15(a) Here are the first three lines of a number pattern.

- 16. A quadrilateral with 4 equal sides and 4 right angles is called a square. What mathematical name is given to :
- (a) A quadrilateral with 4 equal sides but no right angles?
- (b) A quadrilateral with 2 pairs of opposite sides equal but diagonals of different lengths?


[2]

17. AD, BC and EF are parallel. Angle BAC = 79°. Angle ACB = 61°



	Angle z
•	Amy is x years old
i) ł	der brother Brian is 4 years older than Amy.
	Write down an expression, in terms of $x$ , for Brian's age.
)	Their mother is three times as old as Amy.
	Write down an expression in terms of $x$ , for their mother's age.
)	The total of their three ages is 64 years.
	Write down an equation in x
)	Solve your equation for x and find Brian's age

#### 19. Three radio stations at A, B and C receive a distress call from a boat




Station A can tell that the boat is on a bearing of between  $070^{\circ}$  and  $080^{\circ}$  from A. (This area is shown on the diagram)

Station B can tell that the boat is between 30 km and 40 km from B.

Station  $\mathcal C$  can tell that the boat is between a bearing of 340° and 355° from  $\mathcal C$ .

Show clearly on the diagram where the boat could be.

20.



A'B'	<i>C</i> 'D'.	Transformation	•		•	onto
		 	 	 		 [2]

(b) Using (-2,-2) as the centre of enlargement, enlarge ABCD by a scale factor of 2.

[2]

21. Solve the simultaneous equations

3c + 5d = 23 4c - 3d = -37	

[4]

[1]

[2]

22. A box contains counters which are numbered 1, 2, 3, 4 or 5. A counter is taken from the box at random.

(a) Complete the table to show the probability of each number being chosen.

Number on counter	Probability
1	0.20
2	0.30
3	0.15
4	
5	0.10

(b) Is the number on the counter chosen more likely to be odd or even? You must show your working


23. The straight line y = mx + c is parallel to the straight line y = 2x - 5 and passes through the point (-1,1)

(a)	Find m	
		F.4
(b)	Find c	[1
		[2
24(a)	Expand the brackets	
	(4x - 3)(3x + 4)	
		[2
(b)	Factorise the expression	
	12y - 18z	
		F-4
(c)(i`	)Factorise the expression	[1
(-)(-)	$x^2 - 3x - 10$	
		[2
(ii)	Using your answer from part (i), solve the equation $x^2 - 3x - 10 = 0$	
	x 3x - 10 = 0	
		[2

25. The table shows the mathematics test results for 90 students. The test was marked out of 60.

Mark (x)	Frequency	Cumulative Frequency
0 ≤ x ≤ 10	10	10
10 < x ≤ 20	17	
20 < x ≤ 30	27	
30 < x ≤ 40	18	
40 < x ≤ 50	10	
50 < x ≤ 60	8	

(a)	Complete the cumulative frequency column		F4 7
(e)	Draw a cumulative frequency diagram on the grid opposite		[1]
(f)	Use your diagram to estimate		[3]
	(i) the median		
		[2]	
	(ii) the interquartile range		
		[1]	
(g)	The pass mark for the test is 25 marks. Use your graph to estimate how many pupils pass the test.		
		[2]	



26.

3	5	7	9	11
8	10	12	14	16
13	15	17	19	21
18	20	22	24	26

(a)	Which of the numbers in the table are multiples of 7	
(b)	Which numbers in the table are prime numbers?	[2]
		[2]
(c)	Which numbers in the table are square numbers?	
		[2]

#### END OF EXAM

#### **ANSWERS FOR PAST PAPER 3**

1. £51	16. (a) Rhombus, Parallelogram
2. 205	17. 40°, 119°, 61°, 61°
3. 20.6cm <sup>2</sup>	18. (a) x+4, (b)3x, (c)3x+x+x+4=64, (d) x=12, Brian=16
4. (a) Neptune, (b) 6.0x10 <sup>6</sup> , (c) 5.0x10 <sup>3</sup>	19. Diagram
5. 1.4m <sup>3</sup>	20. (a) rotation, anticlockwise 90°, (4,2), (6,4), (8,2), (6,-2)
6. 1 hour 36 minutes	21. c = -4, d = 7
7. 6, 5, 2 and 1 sections respectively for VG, G, P and F	22. (a)0.5, (b) odd total 0.45, even total 0.55. Even more likely
8. (a) 1.62, (b) 9.37, (c) 5.72	23.(a) m=2, (b) c=3
9. (a) 145°, (b)i) 24°, ii) 15	24. (a) $12x^2 - 9x + 16x - 12 = 12x^2 + 7x - 12$ (b) $12y - 18z = 6(2y - 3z)$ (c)i) $x^2 - 3x - 10 = 0$ = $(x - 5)(x + 2) = 0$ , ii) $x = 5$ or $x = -2$
10. (a) 7/12, (b)1, (c)14/33	25. On graph.
11. (a) $54\text{cm}^2$ , (b) $30\text{cm}$ , (c) $6^2+9^2=36+81=117 \ \sqrt{117}=10.82$ (d) $\tan ADC=6/9$ , $\tan ADC=2/3$	26. (a) 7, 14, 21 (b) 3, 5, 7, 11, 13, 17, 19 (c) 9 and 16
12. (a) x -3, -3, -3, 0, 1, 2 y -3, -6, -7, -6, -3, 2 (b) graph, (c) graph	
13. (b) 2	
14. 2.2	
15. (a) 4 <sup>2</sup> +8=6-12, (b) (i) 4 <sup>2</sup> +8=4x6, (ii) n <sup>2</sup> +2n=n(n+2), (c)n <sup>2</sup> +2n	

# Edge Hill University

## Paper 1 2004

#### Two and a half hours

Name		
11aiiic	 	 

#### ATTEMPT ALL QUESTIONS

- Show all your working in the space provided and make sure your answer is clear.
- It is assumed that you have a scientific calculator, ruler and protractor.
- If your calculator does not have a  $\pi$  button, take the value of  $\pi$  to be 3.142
- Diagrams are not necessarily drawn to scale.
- The marks for each question are given in brackets by the side of the question.
- Marks may be given for method even if your answer is wrong.
- The total marks available are 120.

## Calculator Questions

1.

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100


Bryan and Sue were playing a guessing game. Sue thought of a number between 1 and 100 which Bryan had to guess. Bryan was allowed to ask 5 questions, which are listed with Sue's responses in the table below.

Bryan's Questions	Sue's Responses
Is it prime?	No
Is it odd?	No
Is it less than 50?	Yes
Is it a multiple of 3?	Yes
Is it a multiple of 7?	Yes

	What is the number that Sue thought of?	[3]
2. (a)	The population of Australia is 18 million, of which 3.5 million people live in Sydney and 1 million people live in Perth.  What fraction of the population live in Perth?	
		[2]
(b)	What fraction of the population live in Perth or Sydney?	
		ſ <b>2</b> 1

3(a)	Thelma borrowed £1000 on her credit card. At the end of the month, she paid off 5% of the money she owed. How much did she then owe?	
		[1]
(b)	Interest was then charged on her account at a rate of 2%. How much did she then owe?	
		[1]
(c)	If she continues in this way, paying off 5% and then being charged 2% interest, how much will her debt have been reduced by at the end of the fourth month, assuming that she doesn't spend any more money on her card?	
		[3]
(d)	How much money will she have paid the credit card company in total by the end of the fourth month?	
		[2]


4. The figure shows part of a regular 9 sided figure. Its centre is 0.



1	<u>`</u> ~`	١	Calculate	the	5170	٥f	anale	COD
l	u,	,	Calculate	me	2176	01	ungle	COD.


(b)	Calculate the size of angle OCD	[1]
(-)		[2]
(c)	Calculate the size of angle ABC	<b>.</b>
		[1]

5. 2700 people work in one department of the European Parliament. The pie chart shows where the people come from.




Calculate how many of the 2700 people came from Switzerland.

6. In my garden, I have a circular pond which is surrounded by a ring shaped paved area. The pond is 35cm deep and is filled with water.



	•	
(a)	Find the volume of water in the pond when it is full	
		[3]
(b)	Find the area of the paving surrounding the pond.	
		[3]

7. ABCD is a trapezium where the AB = BC, angle ABC =  $142^{\circ}$ , angle DAC =  $90^{\circ}$  and the line AB is parallel to the line DC



(a)	Calculate the size of angle BAC	
		[2]
(b)	Calculate the size of angle ADC	
		[2]

	low far is it from Amsterdam to Paris?
<b>+</b>	low far is it from Paris to Nice?
	What was the average speed for the whole journey?
	a square tablecloth has a diagonal measurement of 130cm. Calculate the ength of one side
••	

A plane leaves Amsterdam at 0715 and flies at an average speed of

8.

10. A lorry driver decided to monitor the time it took him to travel from Liverpool to Birmingham during one week. He recorded his results in a table:

	Trip one	Trip two	Trip three
Monday	1 hour 40 mins	1 hour 55 mins	2 hours 10 mins
Tuesday	3 hours 5 mins	1 hour 50 mins	2 hours 55mins
Wednesday	1 hour 20 mins	1 hour 30 mins	1 hour 40 mins
Thursday	1 hour 55 mins	1 hour 45 mins	2 hours 5 mins
Friday	1 hour 35 mins	1 hour 50 mins	1 hour 55 mins
Saturday	1 hour 35 mins		

(a)	What was his mean journey time on Monday? Give your answer in hours and minutes	
		[2]
(b)	What was his median journey time for the whole week?	
		[2]
(c)	What was his modal journey time for the whole week?	
		F4.7
		[1]

11. Use trial and improvement to find the value of x in the equation

$$x^3 - x^2 = 350$$

Give your answer correct to one place of decimals.

[3]

×	$x^3 - x^2$	Comment
6	180	Too low
7	294	Too low

12. The scale drawing shows the position of three towns.

× Leeds




[2]

× Manchester

(a) What is the actual distance, in kilometres, between Manchester and Leeds?

(b)	What is the bearing of Sheffield from Manchester?	
(c)	What is the bearing of Manchester from Leeds?	[2]
		[2]
13.	Use your calculator to evaluate the following questions. Give your answers correct to two places of decimals.	
(a)	3.24 + 7.16 2.32 + 3.75	
(b)	3.24 + 7.16 2.32 + 3.75	[1]
(c)	$3.24 + \frac{7.16}{2.32 + 3.75}$	[1]
		[1]

14. Two fell tops are 1.5km apart horizontally. One is 720m high and the other is 340m high.



(a)	Calculate the difference in height between the two fell tops								
		[1]							
(b)	Calculate the angle of elevation looking from the lower to the higher fell.								
		[3]							

## Non-Calculator Questions

[4]

	Solve the following equations
)	3 <i>x</i> - 8 = 13
)	5(x-1) + 3(x-4) = 7
	Solve the simultaneous equations
	3a - 7b = -1
	2a + 3b = 30

17. The table gives the diameter and distance from the sun of some planets.

Planet	Distance from Sun in km	Diameter in km		
Earth	$1.5 \times 10^{8}$	$1.3 \times 10^4$		
Venus	1.085 × 10 <sup>8</sup>	1.2 × 10 <sup>4</sup>		
Mars	$2.28 \times 10^8$	$6.8 \times 10^3$		
Mercury	$5.81 \times 10^7$	$4.9 \times 10^3$		
Jupiter	$7.8 \times 10^8$	$1.4 \times 10^5$		
Neptune	4.52 x 10 <sup>9</sup>	4.9 × 10 <sup>4</sup>		
Saturn	1.43 × 10 <sup>9</sup>	$1.2 \times 10^5$		


(u)	which planet listed in the table is jurinest from the sun?	
		[2]
(b)	Using the information in the table, list the planets in order of size, from smallest to largest.	
		[2]
18.	Here is a number pattern: $1 \times 4 = 1^2 + 3$ $2 \times 5 = 2^2 + 6$ $3 \times 6 = 3^2 + 9$ $4 \times 7 = 4^2 + 12$	
(a)	Write down the next row of the pattern	[1]
(b)	Write down the nth row of the pattern	[-]
		[2

19.	A darts player so follows:	cored 190 with 6 darts, t	he individual scores being as	
	Dart 1	- treble 19		
	Dart 2	? – treble 3	くけつくけつくけつ	
	Dart 3	3 - treble 18	<b>* * * *</b>	
	Dart 4	- single 20	1 1 1	
	Dart 5	i - single 18		
	Dart 6	- double 16		
	What is the mea	in score per dart? Give yo	our answer to the nearest whole	
				[3]
20. taked	•		fferent sorts of rice at a local	
		boiled		
		pilau	20 24	
		spicy mushroom	10	
		special fried	6	
(a)	Based on this da for pilau rice?	ta, what is the probabilit	y that the next order of rice is:	
				[2]
(b)	for spicy mushro	oom or special fried rice?		

(c)	not for boiled rice?	
		[1]
21(a)	Solve the inequality	
	10 - 3w > 1	
		[2]
(b)	List all the integer values of y which satisfy the inequality	
	$y^2 - 10 < 17$	
		[3]

Please turn over for next questions.


22. The line y = x has been drawn on the grid below.



(a)	<i>y</i> , , , , , , , , , , , , , , , , , , ,	[2]
(b)	Draw the image of $y = 2x - 1$ when it is reflected in the line $y = x$ .	
	Label your image line L	[2]
(c)	Calculate the gradient of the line L	
	_	
		[2]
(d)	For the line L write down the value of y when $x = 0$	
		[1]
(e)	Write down the equation of the line L	
		[2]

23.	Factorise the	e follow	ing exp	ressions	comple	tely:					
(a)	4a + 2b - 6c										
(L)											
(D)	3g - 12gh	•••••	••••••								
(c)	x <sup>2</sup> - 7x + 12										
(d)	Use your answer to part (c) to solve the equation										
	$x^2 - 7x + 12 = 0$										
4.	Given that y	$= x^2 + 2$	2×								
(a)	Complete the	e table l	below,								
		×	0	1	2	3	4	5			
		У			8	15					
(b)	Plot these po y = $x^2 + 2x$	oints on	the gri	d below (	and her	nce draw	the gr	aph of			
c)	Use your gra	ph to fi	ind the	value of	× when	y = 30					

Use graph over the page.



25. Expand the brackets and simplify:

(-)	(a)	2a(af +	3g)
-----	-----	---------	-----


[2]

(b) 
$$(3x+4)(2x-3)$$

[2]

26. Warning triangles are manufactured for a garage to the specifications shown.

If the sign consists of a plastic triangle, coloured in two shades of red, with a triangular hole in the middle, calculate the surface area of the plastic used in the triangle




 [3]

Please turn over for nest questions.

27. Ten people entered a craft competition.Their displays of work were marked by two different judges.The table shows the marks that they gave to each of the competitors.

Competitor	Α	В	С	D	Ε	F	G	Н	I	J
First judge	90	35	60	15	95	25	5	100	70	45
Second judge	75	30	55	20	75	30	10	85	65	40

(a) On the grid below, draw a scatter diagram to show this information.



(b) Draw a line of best fit

[1]

[1]

[3]

(c) A late entry was given 75 marks by the first judge.
Use your scatter diagram to estimate the mark that might have been given by the second judge. Show how you found your answer.

 	 	•••••

#### **ANSWERS FOR PAST PAPER 4**

4 40	47 (a) Nantuna
1. 42	17. (a) Neptune (b) Mercury, Mars, Venue, Earth, Neptune,
	Saturn, Jupiter
0 -> 1 (4) 1	18.(a) 5 x 8 + 5 <sup>2</sup> + 15
2. a) $\frac{1}{18}$ , (b) $\frac{1}{4}$	(b) n x (n+3)- n <sup>2</sup> + 3n
3. (a) £950 (b £969 (c) £118.35 (d) £190.89	19. 32
4. (a) 40° (b)70° (c) 140°	20. (a) $\frac{2}{5}$ b) $\frac{4}{15}$ (c) $\frac{2}{3}$
5. 375	21. (a) w <3 (b)-5, -4, -3, -2, -1, 0, 1, 2, 3, 4, 5
6.(a) 4.4m³ (b) 7.07m²	22. (a) Line passes through (2,3) and (-1, -3) (b) Line passes through (1,1) and (-1,0)
	(c) $\frac{1}{2}$ (d) $\frac{1}{2}$ (e) $y = \frac{1}{2}x + \frac{1}{2}$ or $2y = \frac{1}{2}x + \frac{1}{2}$
	x + 1
7. (a) 19° (b) 71°	23. (a) 2(2a + b - 3c) (b)3g(1 - 4h) (c) (x - 3)(x - 4), (d) either x = 3 or x = 4
8. (a) 487.5 km (b) 920.83 km (c) 497 km/hr	24. (a) 1.71 (b)8.23 (c)4.42
9. 91.92cm	25. (a)2a²f + 6ag (b)6x² - x - 12
10. (a) 1 hour 55 mins, (b) 1 hour 50 mins (c) 1 hour 55 mins	26. 76800mm²
11. 7.4	27. (a) graph, (b) Line passes through (0,6) and (100,85) or thereabouts (c)approximately 65
12. (a) 65km, (b) 110°, (c) 240°	
13. (a) 1.71, (b) 8.23, (c) 4.42	
14. (a) 380m, (b) 14.22°	
15. (a) $x = 7$ , (b) $x = 3$	
16. a = 9, b=4	

# Edge Hill University

## Paper 2 2004

#### Two and a half hours

Name	 	 	 	

#### ATTEMPT ALL QUESTIONS

- Show all your working in the space provided and make sure your answer is clear.
- It is assumed that you have a scientific calculator, ruler and protractor.
- If your calculator does not have a  $\pi$  button, take the value of  $\pi$  to be 3.142
- Diagrams are not necessarily drawn to scale.
- The marks for each question are given in brackets by the side of the question.
- Marks may be given for method even if your answer is wrong.
- The total marks available are 120.

## **Calculator Questions**

[1]


1.	. A teacher has a small group of pupils in a special needs class. Their o are:			es
	12 years 4 months	11 years 6 months	11 years 11 months	
	11 years 8 months 12 years 1 month	12 years 3 months 11 years 6 months	12 years 1 month	
(a)	What is the median ag	ge of the children?		
(b)	What is the mean age	of the children?		[1]
				[2]
2.	ABCDE is a shape with	n AB = AE and DE = BC. BE	is parallel to CD.	
		$E \longleftrightarrow C$		
(a)	Show any lines of sym	metry for the shape ABCC	DE on the diagram	[1]
(b)	What is the mathema	tical name given to the sho	ape ABE?	[1]
(c)	What is the mathema	tical name give to the shap	De BCDE?	[+]

The co	uncil surround a circular flower bed with a concrete edge.
The ro	idius of the flower bed is 5 metres and the concrete extends for a
	r metre.
furthe	
furthe	r metre.


[1]

(d)	If the concrete surrounding the flower bed is 8cm thick, calculate the volume of concrete used for the job. Remember to state the units in your answer.	
		[3]

4. The number of journeys made using public transport by a group of people in one month are shown in the graph.



a)	Find the interquartile range	
		[2]
(b)	Use the graph to estimate how many people make more than 55 journeys a month on public transport.	
		[2]



ABCD is a rectangle with AB:BD = 8:5.


If the perimeter of the rectangle is 78 cm, find the length of AB.	
	[3]

6. A shopkeeper buys a box of 24 chocolate bars for £6.30. She sells them at a profit of 45%, rounding the price to the nearest penny. How much does she sell each bar for?

[3]

PTO to continue


7.



A boy is 90 m due East from the foot of a tall tower and on level ground. He measures the angle of elevation of the top of the tower as  $38^{\circ}$  from the ground at his feet. Calculate the height of the tower.

 [3]

8.



(a) Find the value of x in the diagram.

(b) Find the value of y in the diagram.

	[1]


- (c) Find the value of **z** in the diagram.

  [1]

9.	The probability that I am late for work on a Monday is 0.8 and the
	probability that I find a parking space within 5 minutes of arriving at work
	is 0.7.

(a)	What is the probability that I don't find a parking space within the first minutes of arriving at work?	5
		[1]

(b) Complete the tree diagram to show the possible outcomes.



(c) Use the tree diagram to find the probability that I'm both on time and find a parking space within the first 5 minutes.

[2]

[2]

10. Use trial and improvement to find the value of x in the equation

$$x^2 - 3x = 150$$


Give your answer correct to one place of decimals.

×	x² - 3x	Comment
12	108	Too low
13	130	Too low

[3]

11. A water plant has  $\frac{7}{12}$  of its length in the air. Nineteen centimetres of its length are in the water.  $\frac{1}{6}$  of its length is in the mud. Calculate the total

length of the plant.



 	 	 •••••

[2]

12.




(a)	A plane flies from Bristol to Glasgow. Use the map to find the flight bearing.	
(b)	A ship at sea is on a bearing of 110° from York and 070° from Bristol. Show	[1]
	its position on the map.	[2]

13. A group of 50 pupils were asked how long they had spent on their homework on the previous evening. Their answers are recorded in the table below.

Time spent on homework (t minutes)	Number of pupils
0 < † ≤ 30	6
30 < † ≤ 60	13
60 < † ≤ 90	9
90 < t ≤ 120	12
120 < † ≤ 150	10
Over 150	0

(a)	What is the modal class?	
(b)	Calculate the estimated mean time taken on homework.	[1]
		[3]
14.	A square tablecloth has a diagonal measurement of 190cm. Calculate t length of one side	·he
		[4]

15.



(a) Draw a graph of the line y = -x on the grid above.

[2]

(b) Complete the table for the graph of  $y = x^2 - 7$ 

x	-3	-2	-1	0	1	2	3
У	2	-3					

[2]


(c) Plot the points from your table onto the graph.

[2]

(d)	Use your graph to find a solution to the simultaneous equations	
	$y = x^2 - 7$	
	y = -x	
		[2]

### Non-Calculator Questions

16. One method used for measuring paper identifies the different sizes of paper by using the letter A and then a number. A6 paper has half the area of A5; A5 paper has half the area of A4 and so on. The diagram shows how a sheet of A0 could be split up.



(a)	If AO paper has an area of $1m^2$ , what is the area of a piece of A4 paper? Give your answer in $cm^2$ .		
(b)	How many sheets of A6 paper can be made from a sheet of A0?	[2]	

	[2]
How many charts of An napor can be made from a sheet of AO where	n ia

, , , , , , , , , , , , , , , , , , , ,	can be made from a sneet of AU, where his
the nth division of the paper?	

17. Complete the multiplication table below:

(c)


X	-3	2		-9
-1		-2	4	
	9		12	27
5		10	-20	-45
7	-21	14		

[4]

[2]

18.	Mr Jones monitored the distance that employees in his company had t drive on business in one week:	)
	Employee A 152 miles Employee B 608 miles Employee C 332 miles Employee D 348 miles	
	If he represents this information on a pie chart, calculate the size of the angle needed to represent employee B.	3
		[2]
19.	Line 2 $2^2 - 4 = 2 \times 0$ Line 3 $3^2 - 6 = 3 \times 1$ Line 4 $4^2 - 8 = 4 \times 2$ Line 5 $5^2 - 10 = 5 \times 3$	
(a)	Write down line 1 of this pattern	-47
(b)	Write down the nth line of this pattern	[1]
		[2]
20.	Jake uses this rhyme to convert between pints and litres:	
	A litre of water's a pint and three quarters	
	If the price of petrol increases by 2p per litre and the tank in Jake's ca holds 10 gallons, how much more will it cost for him to buy a full tank o fuel? Give your answer to the nearest penny. Remember that there are pints in a gallon.	f
		[3]

21. The line y = mx + c passes through the points (6,0), (3,-1) and (-3,-3)



- (a) Plot the points on the graph provided and draw in the line y = mx + c.

[2]

(c) Find the value of m

(a)	5x - 7 = 33	
(b)	5(x - 1) + 2(x - 5) = 13	[1]
		[2]
23(a)	Solve the inequality  8 - 2w < 14	
(b)	List all the whole number solutions of the inequality	[2]
	x <sup>2</sup> ≤ 4	[3]
24.	Write these numbers in order, smallest first. Remember to show all your working. $0.5, \qquad \frac{4}{9} , \qquad 46\%$	
		[2]

Solve the following equations

22.

Around the world there are 1 500 000 000 people who don't have access to
Around the world, there are 1,500,000,000 people who don't have access to clean drinking water. Write this number in standard form.
·
·
clean drinking water. Write this number in standard form. $2.5\times10^7 \ people die each year from drinking unclean water. Write this as an experimental experimental experimental experiments of the experimental experimental experiments. The experimental experimenta$
clean drinking water. Write this number in standard form. $2.5\times10^7 \ people die each year from drinking unclean water. Write this as an experimental experimental experimental experiments of the experimental experimental experiments. The experimental experimenta$


Solve the simultaneous equations

25.

27.	Factorise the following expressions:	
(a)	3a + 9b -6c	
		[1]
(b)	5g <sup>2</sup> - 15gh	
		[2]
(c)	$x^2 - 2x - 15$	
		[2]
(d)	Use your answer to part (c) to solve the equation	
	$x^2 - 2x - 15 = 0$	
		[2]
28(a)	Here are the first five terms in a series	
	3 7 11 15 19	
	Find the nth term in the series	
		[2]
(b)	Find the nth term in the series	
	-3 0 5 12 21	
		[3

9.	5	8	15	18	23 4	48 51
	From the Two prim				ie box	, write
(b) A	A cube ni	umb	er			

30.



Triangle  $\mbox{\bf P}$  is an enlargement of the shaded triangle.

(a)	What is the scale factor of the enlargement?	
		Γ <b>1</b> 1
(b)	Find the coordinates of the centre of enlargement.	[-]
		[1]

#### **ANSWERS FOR PAST PAPER 5**

1.(a) 12 years, (b) 11 years 11 months	174, 3, 9, -3, -6, -15, -28, -63
2. (a) one vertical line (b) isosceles triangle (c) trapezium, (d) 150°	18. 152°
3. (a) 78.54cm <sup>2</sup> (b) 113.1cm <sup>2</sup> (c) 34.56cm <sup>2</sup> (d) 2.76m <sup>3</sup>	19. (a) $1^2 - 2 = 1 \times -1$ (b) $n^2 - 2n = n \times (n - 2)$
4.(a) 14, (b) 3	20. 91p
5. 24cm	21. (a) on graph (b) -2 (c) $\frac{1}{3}$
6. 38p	22. (a) x = 8, (b) x = 4
7. 70m	23. (a) w > -3 (b) -2, -1, 0, 1, 2
8. (a) 55° (b) 30° (c)95°	24. 0.444, 0.46, 0.5
9. (a) 0.3 (b) on time 0.2, spaces/ no spaces 0.7, 0.3, 0.7, 0.3 (c) 0.14	25. x=3, y=-2
10. x= 13.84	26. (a) 1.5 x 10 <sup>9</sup> (b) 25 000 000 (c) 1.7%
11. 78cm	27. (a) $3(a + 3b - 2c)$ (b) $5g(g - 3h)$ (c) $(x - 5)(x + 3)$ (d) $x = 5$ or $x = -3$
12. (a) 345° ± 2°	28. (a) 4n-1 (b) n <sup>2</sup> - 4
13. (a) The modal class is $30 < t \le 60$ $(b) \sum_{t=0}^{\infty} f_{t} = \frac{90+583+675+1260+1350}{50} = \frac{3960}{50} = 79.2$	29 (a) 5 and 23 (b) 8
14. $x^2 + x^2 = 190^2$ $2x^2 = 36100$ so $x^2 = 18050$ X = 134.4 (1d.p)	30.(a) Enlargement scale factor 2 (b) (-2, -1)
15.b) <u>x -3 -2 -1 0 1 2 3</u> Y 2 -3 -6 -7 -6 -3 2 d) x= 2.2, y=-2.2	
16. (a)625cm <sup>2</sup> , (b) 64 (c)2 <sup>n</sup>	

# Edge Hill University

## Paper 3 2004

#### Two and a half hours

Nama	)	
Hallic	;	

#### ATTEMPT ALL QUESTIONS


- Show all your working in the space provided and make sure your answer is clear.
- It is assumed that you have a scientific calculator, ruler and protractor.
- If your calculator does not have a  $\pi$  button, take the value of  $\pi$  to be 3.142
- Diagrams are not necessarily drawn to scale.
- The marks for each question are given in brackets by the side of the question.
- Marks may be given for method even if your answer is wrong.
- The total marks available are 120.

### Calculator Questions

[2]

List these numbers from smallest to largest. Remember to show all your 1. working.  $\frac{5}{7}$ ,  $\frac{7}{9}$ ,  $\frac{3}{4}$ , [3] Nadia is paid a basic rate of £4.90 per hour for a 35 hour week. 2. Overtime is paid at  $1\frac{1}{2}$  times the basic rate. In one week her total pay was £230.30. Calculate how many hours of overtime she had worked [2] 3(a) ABCDE is a regular pentagon. Calculate the size of angle A.

(b) Jane sketches a pattern of tessellating tiles which are regular pentagons.



Is her assumption that regular pentagons will tessellate correct? Explain how you got your answer.

.....[1]

4. Solve the following equations: Do not use a trial and improvement method.

(a) 4a - 7 = 13

.....[2]

(b) 3f + 15 = 5f + 21

.....[2]

(c) 
$$\frac{2h+4}{9} = h-5$$


\_\_\_\_\_[3]

(b) A tripod is in the same sale for £13.20, what was its original price?  Two porthole designs are being considered for use in a cabin panel of a ship  A: radii 35 cm  B: radii 45 cm  Design A consists of three portholes, each of radius 35 cm. Design B consists of two portholes each of radius 45 cm.  (a) Calculate the area of one of the windows in panel A	(a) reco 	(a) A camera is in a sale with 12% off the recommended price. If the recommended price was £135, how much will the camera cost now?							
Two porthole designs are being considered for use in a cabin panel of a ship  A: radii 35 cm  B: radii 45 cm  Design A consists of three portholes, each of radius 35 cm. Design B consists of two portholes each of radius 45 cm.  (a) Calculate the area of one of the windows in panel A				[2					
Two porthole designs are being considered for use in a cabin panel of a ship  A: radii 35 cm  B: radii 45 cm  Design A consists of three portholes, each of radius 35 cm. Design B consists of two portholes each of radius 45 cm.  (a) Calculate the area of one of the windows in panel A	(b) 	A tripod is in the same sale for £	C13.20. what was its original price?						
A: radii 35 cm  B: radii 45 cm  Design A consists of three portholes, each of radius 35 cm. Design B consists of two portholes each of radius 45 cm.  (a) Calculate the area of one of the windows in panel A  (b) Calculate the total window area for panel A				[3					
Design A consists of three portholes, each of radius 35 cm.  Design B consists of two portholes each of radius 45 cm.  (a) Calculate the area of one of the windows in panel A  (b) Calculate the total window area for panel A	Two	porthole designs are being consider	red for use in a cabin panel of a ship	)					
Design A consists of three portholes, each of radius 35 cm.  Design B consists of two portholes each of radius 45 cm.  (a) Calculate the area of one of the windows in panel A  (b) Calculate the total window area for panel A									
Design B consists of two portholes each of radius 45 cm.  (a) Calculate the area of one of the windows in panel A  (b) Calculate the total window area for panel A		A: radii 35 cm	B: radii 45 cm						
(b) Calculate the total window area for panel A		•							
(b) Calculate the total window area for panel A	(a)	Calculate the area of one of the	windows in panel A						
(b) Calculate the total window area for panel A				[2					
	(b)	Calculate the total window area f	or panel A	L-					
				[1]					

PTO for next part of question.

	(c)	Which of the two porthole designs would let in most light? Show all your working clearly.	
			[3]
7.		mean weight of six parcels is 4.2 kg. When another parcel is added, the n weight is increased to 5.1 kg. What is the weight of the seventh el?	
			[3]

8. ABC is a triangle with A at (-3,2). B at (-1,3) and C at (-1,-2)




- (a) Plot the points A,B and C and draw in the triangle ABC.

  [2]
  (b) Calculate the area of triangle ABC
  - (c) The triangle ABC is reflected in the line y = -3. Draw the image of the triangle after this transformation. Label it A'B'C'

[3]

(d) The image of ABC after an enlargement is at A" ( $-\frac{1}{2},\frac{1}{2}$ ), B" ( $\frac{1}{2}$ ,1) and C" ( $\frac{1}{2}$ ,  $1\frac{1}{2}$ ). Draw this new triangle on the diagram and give the scale factor of the enlargement.

- 9. The teachers in a secondary school did a survey to find out what pupils in their school did for lunch one day. They asked a total of 900 pupils. The results are shown in the pie chart below.




(a)	How many pupils had lunch at the fish and chip shop?					
		[2]				
(b)	How many had a packed lunch?					
		[2]				

10 (a). Complete the table for the graph of  $y = x^2 - 2x - 7$ 

×	-2	-1	0	1	2	3
У	1	-4				


[2]

(b) Draw the graph on the grid.



(c) Use your graph to solve the equation  $x^2 - 2x - 7 = -5$ 

## 11. David sketches a toy boat.



(a)	Calculate the height h of sail A.
	[3]
	(b) Sail B is 4.5 cm high. Calculate the perimeter of the sail.

[4]

# Non-Calculator Questions

12.

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100

John and Kate were playing a guessing game. Kate thought of a number between 1 and 100 which John had to guess. John was allowed to ask 5 questions, which are listed with Kate's responses in the table below.

John's Questions	Kate's Responses
Is it prime?	No
Is it odd?	Yes
Is it less than 50?	No
Is it a multiple of 3?	Yes
Is it a multiple of 7?	Yes

What is the number that Kate thought of?	
	[3]

13. Join up all the pairs of equivalent expressions.

$$2a(a + 4b)$$

$$2(a^{2} + 4b)$$

$$12ab + 27a^{2}$$

$$12ab + 9a$$


$$2a^{2} + 8ab$$


$$3a(4b + 9a)$$

$$3a(4b + 3)$$

[3]

14.





Which of the triangles A, B,C, D and E are congruent to triangle T?

[2]

15. Solve the following simultaneous equations. Do not use a trial and improvement method.

$$4a + 5b = 22$$

$$3a + 2b = 6$$

[4]


16. In the box are six numbers written in standard form.

$7.5 \times 10^4$	$8.1 \times 10^{5}$	$9.3 \times 10^{-3}$
$6.25 \times 10^{-1}$	$8.16 \times 10^3$	$5.37 \times 10^{-2}$

	(a)	Write	down	the	largest	number.
--	-----	-------	------	-----	---------	---------

	[1]
(b) Write down the smallest number.	
	[1]
(c) Write your answer to (b) as an ordinary number.	
	Г1 Т

17. A bag contains a total of 20 beads. There are 6 red beads, 9 blue beads and 5 white beads.




(a)	A bedd is taken at random from the bag. What is the probability
that i	is a blue bead?

\_\_\_\_\_\_[1]

(b) A bead is taken at random from the bag. What is the probability that it is not a white bead?

\_\_\_\_\_[1]

(c) A bead is taken at random from the bag and **not** replaced. A second bead is then taken from the bag. Complete the tree diagram to show the possible outcomes.




[3]

(d) Use the tree diagram to determine the probability that both of the balls are white.

[2]

(e) Use the tree diagram to determine the probability that at least one of the balls is white.

ABCDEFGH is a regular octagon. 18.



1	(a)	Describe	the.	figure	AOGH
(	(a)	Describe	The	Tigure	AUGH.

[1]

### Describe the figure OPGE (b)

[1]

#### Calculate the size of angle COD (c)

[1]

Make p the subject of the formula  $\frac{2(p-5)}{6} = r$ 19.

$$\frac{2(p-5)}{6}=r$$

20. Solve the following inequalities:

(a) 2p - 5 > -11

.....[1]

(b) 6 - 3x < -6

[2]

21. North

X Lighthouse

A captain of a ship at sea spots a lighthouse on a bearing of 085° from the ship. What is the bearing of the ship from the lighthouse?

Not drawn to scale

22. (a) Factorise the expression  $x^2 + 3x - 10$ 

Ship

(b)	Using your answer from part (a), solve the equation $x^2 + 3x - 10 = 0$									
		[2]								
22	For each of the following number genies find the next two terms and there									
23	For each of the following number series, find the next two terms and ther find the nth term.									
	(a) 1, 4, 7, 10,,, Next two terms									
	nth term	[1]								
	(b) <b>3</b> , <b>6</b> , <b>11</b> , <b>18</b> ,,, Next two terms	[2]								
	nth term	[1]								
	(c) 2, 4, 8, 16,,,	[2]								
	Next two terms   nth term	[1]								
		[2]								

		2.2										
(a)	Wh	at is h	is weigh	it in Kg?								
(b)	Sho	w how	he coul	d simplif	v the c	alcul	ation	to ae	et a a	ood n	nento	ıl e:
()					,							
		• • • • • • • • • • • • • • • • • • • •	•••••	•••••	••••••		•••••		•••••		•••••	• • • • • • • • • • • • • • • • • • • •
			••••••			•••••	•••••		•••••	• • • • • • • • • • • • • • • • • • • •	•••••	• • • • • •
						•••••			•••••	• • • • • • • • • • • • • • • • • • • •	•••••	••••
									•••••			
	•			d in a str			house	s, as	king	how r	nany	pe
ived	in ea	ch hou	se. The	se are th	e resul	†S:						
		Size of	f housel	hold		1	2	3	4	5	6	7
		Numbe	r of ho	useholds		11	16	12	7	4	2	
(a)					on of no			12	<u> </u>		2	
(a)				useholds dal numbe	er of pe			12	<u> </u>		2	<u> </u>
(a) 					er of pe			12	<u> </u>		2	
(a) 					er of pe			12	<u> </u>		2	<u> </u>
	Calo	culate	the moc	dal numbe		eople	per l	12	hold.		2	<u></u>
	Calo	culate	the moc			eople	per l	12	hold.		2	
(a)  (b)	Calo	culate	the moc	dal numbe		eople	per l	12	hold.		2	
	Calo	culate	the moc	dal numbe		eople	per l	12	hold.		2	
(b)	Cal	culate	the moc	dian numbe	ber of	peop	per l	12 nouse	hold.		2	
	Cal	culate	the moc	dal numbe	ber of	peop	per l	12 nouse	hold.		2	
(b)	Cal	culate	the moc	dian numbe	ber of	peop	per l	12 nouse	hold.		2	
(b)	Cal	culate	the moc	dian numbe	ber of	peop	per l	12 nouse	hold.		2	

Jason weighs 9 stone 8 pounds. He converts his weight to kilograms using

24.

the following calculation.

26.	A wood with 600 trees is planted. The wood is planted with 200 pine trees, 80 oak trees, some birch trees and some ash trees.								
	(a) Five twelfths of the 600 trees are birch. How many birch trees are there?								
		[1]							
	(b) What is the ratio of pine trees to oak trees? Give your answer in its simplest form.								
		[2]							
		[2]							

END OF EXAM

## **ANSWERS FOR PAST PAPER 6**

17. (a) $\frac{3}{20}$ (b) $\frac{3}{4}$ (c) 1st ball - Bl $\frac{9}{20}$ , Wh $\frac{1}{4}$ , 2nd ball - R $\frac{5}{19}$ , Bl $\frac{9}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{18}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{18}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{18}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{18}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{18}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{18}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{18}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{18}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{18}{19}$ , Wh $\frac{5}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{18}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{18}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{18}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{18}{19}$ , Wh $\frac{5}{19}$ , Wh	1.	0 2
2. 8 hours  (c) 1st ball - Bl $\frac{1}{20}$ , Wh $\frac{1}{4}$ , 2nd ball - Bl $\frac{1}{20}$ , Wh $\frac{1}{4}$ , R $\frac{6}{19}$ , Bl $\frac{9}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{9}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{9}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{9}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{9}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{9}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{9}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{5}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Rh $\frac{19}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Wh $\frac{5}{19}$		17. (a) $\frac{9}{20}$ (b) $\frac{3}{4}$
2nd ball $- R \frac{5}{19}$ , Bl $\frac{9}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{4}{19}$ , $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{9}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{9}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{9}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{9}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{9}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{9}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{9}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{5}{19}$ , R $\frac{6}{19}$ , Bl $\frac{8}{19}$ , Wh $\frac{4}{19}$ , Wh $\frac{4}$		(c) 1st ball - BI $\frac{9}{20}$ , Wh $\frac{1}{4}$ ,
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2. 6 110015	20 1
$ \begin{array}{c} Wh \frac{1}{19} , R \frac{1}{19}, Bl \frac{1}{19}, Wh \frac{1}{19} \\ (d) & \frac{1}{19} & (e) & \frac{17}{38} \\ \hline \\ 4. \ (a) \ a = 5, \ (b) \ f = -3, \ (c) \ h = 7 \\ \hline \\ 5. \ (a) \ \pounds 118.80. \ \ (b) \ \pounds 15 \\ \hline \\ 6. \ \ (a) \ 3848cm^2, \ \ (b) \ 11545cm^2, \ \ (c) \ B \ is the best with an area of 12723cm^2 \\ \hline \\ 7. \ \ 10.5KG \\ \hline \\ 8. \ \ (a) \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	3 (a) 108° (b) No 360° is not a multiple of 108°	1
4. (a) a = 5, (b) f = -3, (c) h=7  18. (a) kite (b) trapezium (c) 45°  5. (a) £118.80. (b) £15  19. 2p = 6r + 10  6. (a) 3848cm², (b) 11545cm², (c) B is the best with an area of 12723cm²  7. 10.5KG  21. 265°  8. (a) on graph, (b) 10 cm², (c)A'(-3,-8), B'(-19, 9), C'(-1,-4), (d) ½, (e) (2, -1)  9. (a) 175, (b) 150  23. (a) 3, 16, 3n - 2 (b) 27,38, n² + 2 (c) 32, 64, 2°  10. (a) -7, -8, -7, -4 (b) graph (c) x = -0.75 or x = 2.75  11. (a) 13.86cm, (b) 18cm  25. (a) 2 (b) 2 (c) 2.78  12. 63  26. (a) 250 (b) 5.2  13. 2a(a+4b) = 2a²+8b 2(a²+2b) = 2a²+4b 12ab+9a = 3a(4b+3) 3a(4b+9a) = 12ab + 27a²  14. C and D	o. (a) 100 , (b) 110 000 is not a maniple of 100	Wh $\frac{3}{19}$ , R $\frac{3}{19}$ , BI $\frac{3}{19}$ , Wh $\frac{4}{19}$
4. (a) a = 5, (b) f = -3, (c) h=7  18. (a) kite (b) trapezium (c) 45°  5. (a) £118.80. (b) £15  19. 2p = 6r + 10  6. (a) 3848cm², (b) 11545cm², (c) B is the best with an area of 12723cm²  7. 10.5KG  21. 265°  8. (a) on graph, (b) 10 cm², (c)A'(-3,-8), B'(-19, 9), C'(-1,-4), (d) ½, (e) (2, -1)  9. (a) 175, (b) 150  23. (a) 3, 16, 3n - 2 (b) 27,38, n² + 2 (c) 32, 64, 2°  10. (a) -7, -8, -7, -4 (b) graph (c) x = -0.75 or x = 2.75  24. (a) 60.91 kg (b) (10 x 14) + 10 / 2 = 75  11. (a) 13.86cm, (b) 18cm  25. (a) 2 (b) 2 (c) 2.78  12. 63  26. (a) 250 (b) 5.2  13. 2a(a+4b) = 2a²+8b 2(a²+2b) = 2a²+4b 12ab+9a = 3a(4b+3) 3a(4b+9a) = 12ab + 27a²  14. C and D		(d) $\frac{1}{10}$ (e) $\frac{17}{38}$
5. (a) £118.80. (b) £15  19. $2p = 6r + 10$ 6. (a) $3848cm^2$ , (b) $11545cm^2$ , (c) B is the best with an area of $12723cm^2$ 7. $10.5KG$ 21. $265^\circ$ 8. (a) on graph, (b) 10 cm2, (c)A'(-3,-8), B'(-1,-9), C'(-1,-4), (d) $\frac{1}{2}$ , (e)(2, -1)  9. (a) 175, (b) 150  23. (a) 3, 16, 3n - 2 (b) 27,38, n² + 2 (c) 32, 64, 2°  10. (a) -7, -8, -7, -4 (b) graph (c) x = -0.75 or x = 2.75  24. (a) $60.91$ kg (b) $\frac{(10 \times 14) + 10}{2} = 75$ 11. (a) $13.86cm$ , (b) $18cm$ 25. (a) 2 (b) 2 (c) 2.78  13. $2a(a+4b) = 2a^2+8b$ $2(a^2+2b) = 2a^2+4b$ $12ab+9a = 3a(4b+3)$ $3a(4b+9a) = 12ab + 27a^2$ 14. C and D  15. $a=-2$ $b=6$		13 36
6. (a) 3848cm², (b) 11545cm², (c) B is the best with an area of 12723cm²  7. 10.5KG  21. 265°  8. (a) on graph, (b) 10 cm², (c)A'(-3,-8), B'(-19, 9), C'(-1,-4), (d) $\frac{1}{2}$ , (e) (2, -1)  9. (a) 175, (b) 150  23. (a) 3, 16, 3n - 2 (b) 27,38, n² + 2 (c) 32, 64, 2°  10. (a) -7, -8, -7, -4 (b) graph (c) x = -0.75 or x = 2.75  11. (a) 13.86cm, (b) 18cm  25. (a) 2 (b) 2 (c) 2.78  12. 63  26. (a) 250 (b) 5.2  13. 2a(a+4b) = 2a²+8b 2(a²+2b) = 2a²+4b 12ab+9a = 3a(4b+3) 3a(4b+9a) = 12ab + 27a²  14. C and D  15. a=-2 b=6	4. (a) $a = 5$ , (b) $f = -3$ , (c) $h=7$	18. (a) kite (b) trapezium (c) 45°
6. (a) 3848cm², (b) 11545cm², (c) B is the best with an area of 12723cm²  7. 10.5KG  21. 265°  8. (a) on graph, (b) 10 cm², (c)A'(-3,-8), B'(-19, 9), C'(-1,-4), (d) $\frac{1}{2}$ , (e) (2, -1)  9. (a) 175, (b) 150  23. (a) 3, 16, 3n - 2 (b) 27,38, n² + 2 (c) 32, 64, 2°  10. (a) -7, -8, -7, -4 (b) graph (c) x = -0.75 or x = 2.75  11. (a) 13.86cm, (b) 18cm  25. (a) 2 (b) 2 (c) 2.78  12. 63  26. (a) 250 (b) 5.2  13. 2a(a+4b) = 2a²+8b 2(a²+2b) = 2a²+4b 12ab+9a = 3a(4b+3) 3a(4b+9a) = 12ab + 27a²  14. C and D  15. a=-2 b=6	5 ( ) 0440 00 ( ) 045	10.0
with an area of 12723cm²  7. 10.5KG  21. 265°  8. (a) on graph, (b) 10 cm2, (c)A'(-3,-8), B'(-1,-9), C'(-1,-4), (d) $\frac{1}{2}$ , (e) (2, -1)  9. (a) 175, (b) 150  23. (a) 3, 16, 3n - 2 (b) 27,38, n² + 2 (c) 32, 64, 2n  10. (a) -7, -8, -7, -4 (b) graph (c) x = -0.75 or x = 2.75  24. (a) 60.91 kg (b) $\frac{(10 \times 14) + 10}{2} = 75$ 11. (a) 13.86cm, (b) 18cm  25. (a) 2 (b) 2 (c) 2.78  12. 63  26. (a) 250 (b) 5.2  13. 2a(a+4b) = 2a²+8b 2(a²+2b) = 2a²+4b 12ab+9a = 3a(4b+3) 3a(4b+9a) = 12ab + 27a²  14. C and D	5. (a) £118.80. (b) £15	19. 2p = 6r + 10
with an area of 12723cm²  7. 10.5KG  21. 265°  8. (a) on graph, (b) 10 cm2, (c)A'(-3,-8), B'(-1,-9), C'(-1,-4), (d) $\frac{1}{2}$ , (e) (2, -1)  9. (a) 175, (b) 150  23. (a) 3, 16, 3n - 2 (b) 27,38, n² + 2 (c) 32, 64, 2n  10. (a) -7, -8, -7, -4 (b) graph (c) x = -0.75 or x = 2.75  24. (a) 60.91 kg (b) $\frac{(10 \times 14) + 10}{2} = 75$ 11. (a) 13.86cm, (b) 18cm  25. (a) 2 (b) 2 (c) 2.78  12. 63  26. (a) 250 (b) 5.2  13. 2a(a+4b) = 2a²+8b 2(a²+2b) = 2a²+4b 12ab+9a = 3a(4b+3) 3a(4b+9a) = 12ab + 27a²  14. C and D	6 (a) 29/19 cm <sup>2</sup> (b) 1/15/15 cm <sup>2</sup> (a) D in the best	20 (a) no 2 (b) vo 4
8. (a) on graph, (b) 10 cm2, (c)A'(-3,-8), B'(-1,-9), C'(-1,-4), (d) $\frac{1}{2}$ , (e)(2, -1)  9. (a) 175, (b) 150  23. (a) 3, 16, 3n - 2 (b) 27,38, n² + 2 (c) 32, 64, 2°  10. (a) -7, -8, -7, -4 (b) graph (c) x = -0.75 or x = 2.75  24. (a) 60.91 kg (b) $\frac{(10 \times 14) + 10}{2} = 75$ 11. (a) 13.86cm, (b) 18cm  25. (a) 2 (b) 2 (c) 2.78  12. 63  26. (a) 250 (b) 5.2  13. 2a(a+4b) = $2a^2+8b$ 2(a²+2b) = $2a^2+4b$ 12ab+9a = $3a(4b+3)$ 3a(4b+9a) = $12ab+27a^2$ 14. C and D		20. (a) ρ>-3 (b) x>4
8. (a) on graph, (b) 10 cm2, (c)A'(-3,-8), B'(-1,-9), C'(-1,-4), (d) $\frac{1}{2}$ , (e)(2, -1)  9. (a) 175, (b) 150  23. (a) 3, 16, 3n - 2 (b) 27,38, n² + 2 (c) 32, 64, 2°  10. (a) -7, -8, -7, -4 (b) graph (c) x = -0.75 or x = 2.75  24. (a) 60.91 kg (b) $\frac{(10 \times 14) + 10}{2} = 75$ 11. (a) 13.86cm, (b) 18cm  25. (a) 2 (b) 2 (c) 2.78  12. 63  26. (a) 250 (b) 5.2  13. 2a(a+4b) = $2a^2+8b$ 2(a²+2b) = $2a^2+4b$ 12ab+9a = $3a(4b+3)$ 3a(4b+9a) = $12ab+27a^2$ 14. C and D	7 10 5KG	21 265°
1,-9), C'(-1,-4) , (d) $\frac{1}{2}$ , (e) (2, -1)  9. (a) 175, (b) 150  23. (a) 3, 16, 3n - 2 (b) 27,38, $n^2 + 2$ (c) 32, 64, $2^n$ 10. (a) -7, -8, -7, -4 (b) graph (c) x = -0.75 or x = 2.75  24. (a) 60.91 kg (b) $\frac{(10 \times 14) + 10}{2} = 75$ 11. (a) 13.86cm, (b) 18cm  25. (a) 2 (b) 2 (c) 2.78  12. 63  26. (a) 250 (b) 5.2  13. 2a(a+4b) = $2a^2+8b$ 2( $a^2+2b$ ) = $2a^2+4b$ 12ab+9a = $3a(4b+3)$ 3a(4b+9a) = $12ab+27a^2$ 14. C and D	7. Tolone	21. 230
1,-9), C'(-1,-4) , (d) $\frac{1}{2}$ , (e) (2, -1)  9. (a) 175, (b) 150  23. (a) 3, 16, 3n - 2 (b) 27,38, $n^2 + 2$ (c) 32, 64, $2^n$ 10. (a) -7, -8, -7, -4 (b) graph (c) x = -0.75 or x = 2.75  24. (a) 60.91 kg (b) $\frac{(10 \times 14) + 10}{2} = 75$ 11. (a) 13.86cm, (b) 18cm  25. (a) 2 (b) 2 (c) 2.78  12. 63  26. (a) 250 (b) 5.2  13. 2a(a+4b) = $2a^2+8b$ 2( $a^2+2b$ ) = $2a^2+4b$ 12ab+9a = $3a(4b+3)$ 3a(4b+9a) = $12ab+27a^2$ 14. C and D	8. (a) on graph, (b) 10 cm2, (c)A'(-3,-8), B'(-	22. (a) $(x + 5)(x - 2)$ (b) $x = -5$ or $x = 2$
9. (a) 175, (b) 150  23. (a) 3, 16, 3n - 2 (b) 27,38, n² + 2 (c) 32, 64, 2n  10. (a) -7, -8, -7, -4 (b) graph (c) x = -0.75 or x = 2.75  24. (a) 60.91 kg (b) (10 x 14) + 10 / 2 = 75  11.(a) 13.86cm, (b) 18cm  25.(a) 2 (b) 2 (c) 2.78  12. 63  26. (a) 250 (b) 5.2  13. 2a(a+4b) = 2a²+8b		
10. (a) -7, -8, -7, -4 (b) graph (c) x = -0.75 or x = 2.75  11.(a) 13.86cm, (b) 18cm  24. (a) 60.91 kg (b) (10 x 14) + 10 / 2 = 75  25.(a) 2 (b) 2 (c) 2.78  26. (a) 250 (b) 5.2  13. 2a(a+4b) = 2a²+8b		23. (a) 3, 16, 3n – 2 (b) 27,38, n <sup>2</sup> + 2
11.(a) 13.86cm, (b) 18cm  25.(a) 2 (b) 2 (c) 2.78  12. 63  26. (a) 250 (b) 5.2  13. 2a(a+4b) = 2a²+8b		(c) 32, 64, 2 <sup>n</sup>
11.(a) 13.86cm, (b) 18cm  25.(a) 2 (b) 2 (c) 2.78  12. 63  26. (a) 250 (b) 5.2  13. 2a(a+4b) = 2a²+8b	10. (a) -7, -8, -7, -4 (b) graph	$(24.6) \times (20.04) \times (20.0$
12. 63  26. (a) 250 (b) 5.2  13. 2a(a+4b) = 2a <sup>2</sup> +8b     2(a <sup>2</sup> +2b) = 2a <sup>2</sup> +4b     12ab+9a = 3a(4b+3)     3a(4b+9a) = 12ab + 27a <sup>2</sup> 14. C and D  15. a=-2 b=6	(c) $x = -0.75$ or $x = 2.75$	$\frac{24. (a) 60.91 \text{ kg}}{2} = 75$
13. 2a(a+4b) = 2a <sup>2</sup> +8b 2(a <sup>2</sup> +2b) = 2a <sup>2</sup> +4b 12ab+9a = 3a(4b+3) 3a(4b+9a) = 12ab + 27a <sup>2</sup> 14. C and D	11.(a) 13.86cm, (b) 18cm	25.(a) 2 (b) 2 (c) 2.78
13. 2a(a+4b) = 2a <sup>2</sup> +8b 2(a <sup>2</sup> +2b) = 2a <sup>2</sup> +4b 12ab+9a = 3a(4b+3) 3a(4b+9a) = 12ab + 27a <sup>2</sup> 14. C and D		
$2(a^{2}+2b) = 2a^{2}+4b$ $12ab+9a = 3a(4b+3)$ $3a(4b+9a) = 12ab + 27a^{2}$ 14. C and D $15. a=-2 b=6$	12. 63	26. (a) 250 (b) 5.2
$2(a^{2}+2b) = 2a^{2}+4b$ $12ab+9a = 3a(4b+3)$ $3a(4b+9a) = 12ab + 27a^{2}$ 14. C and D $15. a=-2 b=6$		
12ab+9a = 3a(4b+3) 3a(4b+9a) = 12ab + 27a <sup>2</sup> 14. C and D 15. a=-2 b=6		
3a(4b+9a) = 12ab + 27a <sup>2</sup> 14. C and D  15. a=-2 b=6		
14. C and D  15. a=-2 b=6		
		-
16. (a) 8.1 x 10 <sup>5</sup> (b) 9.3 x 10 <sup>-3</sup> (c) 0.0093	15. a=-2 b=6	1
16. (a) 8.1 x 10 <sup>5</sup> (b) 9.3 x 10 <sup>-3</sup> (c) 0.0093		
	16. (a) 8.1 x 10 <sup>5</sup> (b) 9.3 x 10 <sup>-3</sup> (c) 0.0093	